



FEEL THE
PERFECTION
AT EVERY POINT



5 Different Models / **8** Different Colors 



**STERILIZATION
CONTAINER
SYSTEMS**



AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.

" Meeting point for surgery..."

EDITION 11



“ Meeting point for surgery...”

Aygün has the right to modify and develop the products declared in this catalogue and its production program.

The weight and dimensional information given in our catalog are approximate values.

KA-3014-Y1 Copyright © Aygün Co., Inc 2023 All Right Reserved, Printed in Türkiye

www.aygun.com

OUR HISTORY

AYGÜN, one of the leading establishments of Turkey in the field of Medical Industry, was founded in 1988. It manufactures Container Systems for sterilization, Surgical Motor Systems, Medical Illumination Systems and Single Use Medical Systems in its facility at Samsun Central Organized Industrial Zone.

AYGÜN meets the needs of significant part of Turkey as a result of its continuous R&D works and the capacity increasing. It manufactures its products in international standards and put them to the world market with a high competitive power. Moreover with its integrated quality management system, it proves that it is a specialized establishment.

Besides being a manufacturer, AYGÜN is also a designer company and with its continuous product development works it increases number of its patents, on the other hand, is contributing career development of rising generation by acting as a school.





STERILIZATION CONTAINER SYSTEMS

SURGICAL MOTOR SYSTEMS

SURGICAL ILLUMINATION SYSTEMS

DISPOSABLE STERILIZATION PRODUCTS

All AYGÜN sterilization container systems are designed for perfect steam penetration, traceability, safety and stability. The locking mechanisms secure excellent grip and ensure up and down movement of the lids under steam pressure during the sterilization. We service our bottoms and lids made of 2 mm high quality special alloy aluminum raw material to the whole world with 8 basic color options.

The expertise of AYGÜN in surgical motor systems gathered up many designs and systems that have special structures servicing from neuro and spinal surgery to many fields like cardiovascular, orthopedic, plastic, hand & foot and maxillofacial surgery. The quality, power and ergonomic design of the new generation of high-tech battery powered surgical motor systems once again demonstrates AYGÜN's expertise in the medical field.

AYGÜN is furthering a number of R&D projects simultaneously thanks to its advanced R&D infrastructure, team of engineers and technical personnel specialized in their field. Thus, the company holds tens of patents and models actively used in the medical sector.

AYGÜN continues expanding its product range by adding other single use medical products to the completely silicone medical drainage systems needed by surgery. With its ISO 7 clean room and by carrying its expertise on sterilization and operation solutions one step further, AYGÜN offers professional service to its valued customers in disposable medical items as well.

- CONTAINER MODELS**
- Standard Plus Model
 - Bio-Barrier Model
 - B3 Model
 - Window Model
 - Plasma Model
 - Dental, Mini, Special Model

- SURGICAL MOTOR SYSTEM MODELS**
- Scoren
 - Karınca 206
 - Karınca 208
 - Dermatome Bes
 - Dermatome ST-5
 - Skin Graft Mesher
 - Raptor SPS4
 - Praxis 3
 - Praxis 3B
 - Sternal Saw 3B
 - HSM Micro System
 - HSM 2 Neuro & Spine System
 - Mini Bone 40.000 rpm
 - Mini Bone Monoblock
 - Arthroscopy Shaver
 - Mini Surgical Motor
 - Mini Compact
 - Neuro Air Power
 - Standard Macro
 - EPS Motor System
 - Macro Compact
 - Mobil Stator

- ILLUMINATION SYSTEMS FEATURES**
- H-LIGHT LD Specifications
 - Superior Optical performance
 - Light beams configuration to provide Shadowless illumination
 - Almost perfect color rendition (Typ. 95)
 - TFT touch screen for lighting control
 - Adjustable beam sizes to user preferences
 - Suitable for use with Laminar Flow functional ceilings
 - Easy to clean
 - Minimum Energy Consumption
 - 54.000 hours LED life
 - Indirect Endo light for endoscopic operations

- DISPOSABLE PRODUCTS MODELS**
- Silicone Straight Drain
 - Silicone Flat Drain
 - Silicone Redon Drain
 - Silicone Penrose Drain
 - Silicone T Drain
 - Silicone Medical Tube

for more
visit us
www.aygun.com

WE GROW TOGETHER

Aygün has an actively growing position in the sector through using a high technology and innovative institutional structure.



OUR VISION


The vision of AYGÜN is to grow in health sector according to the developing technology and sectoral innovations and serve humanity by producing new project and products appropriate to these innovations.

OUR MISSION

AYGÜN builds projects that can contribute to human health all over the world and integrates these projects to its production area and products in the light of technological developments. It constantly stays active with its innovative and explorer soul and remains taking part among the leader companies ruling the sector.

QUALITY ASSURANCE SYSTEM

- ISO 9001: 2015
- ISO 14001: 2015
- ISO 45001: 2018
- ISO 13485: 2016
- 93/42/EEC
- FDA 510 (K)
- 2017/745 (EU)





PRODUCTION

Sense of high-grade quality in each process from raw material supply to the shipment is combined with integrated quality management system according to the standards. A big stuff gathered under the same roof and adopted importance of teamwork carry all stages above the dreams and makes what is desired real.

TECHNICAL INFRASTRUCTURE

CNC Machines

Hydraulic and Eccentric Presses

Hot Presses

Conventional CNC Machines

Mold Design and Molding Technology

3D Modelling Technology

Thermoforming

Cutting Machines

Electronic Design and Manufacturing Engineering

Software Technology

Fine Mechanic Techniques



Hardening

Laser Technology

Silicone Extrusion Technology

Clean Room – ISO 7

Chemical Coating and Anodizing Technology




COMBINATION OF PRECIOUS HIGH TECHNOLOGY PRODUCTION MACHINES AND PERFECT CRAFTSMANSHIP,

New product development desire and need began in minds becomes sharable and interpretable with 3D printers and technical drawings. After setting the models and testing the prototypes, the production process starts for the approved designs. The production starts with combination of high technology production machines and perfect craftsmanship.

RESEARCH, DEVELOPMENT, QUALITY

AYGÜN increases its power with its endless R&D works. It makes all needed investments so as to research and develop even the smallest part of the complicated products manufactured and carries out successful projects with its professional engineer team. It both develops the existing products with today's technology and performs serious works on new product designs.



CONTENT

Page Numbers

STERILIZATION CONTAINERS

10 - 21	—	INTRODUCTION
22 - 33	—	STANDARD PLUS MODEL
34 - 47	—	BIO-BARRIER MODEL
48 - 63	—	BARRIER 3 MODEL
64 - 71	—	WINDOW MODEL
72 - 79	—	PLASMA MODEL (H ₂ O ₂ for sterrad)
80 - 97	—	DENTAL, MINI, SPECIAL MODEL

BASKETS

98 - 105	—	PERFORATED TRAYS
106 - 112	—	WIRE BASKETS
113 - 115	—	ALUMINIUM BASKETS, WASHER TUBES FOR K-WIRES

ACCESSORIES

116 - 119	—	MODULAR AUTO LOCK MECHANISM
120 - 121	—	WINDOW FOR EMULATING INDICATOR
122 - 139	—	FILTERS, INDICATORS, FILTER FILTER RETAINER, SILICONE MATS, SECURITY SEAL, RACKS, RAILS, HOLDERS, DIVIDERS


140 - 144	—	INDEX
-----------	---	-------



Deep Drawn
In 500 Tons

In Massive
Press Area

Shaped By
Professional
Hands



AYGUN
SURGICAL INSTRUMENTS CO., INC.


STERILIZATION CONTAINER SYSTEMS CUSTOM MADE PRODUCTS

We perform our customers' special production requests in a manner that does not violate international patent and intellectual property rights. In this way, we increase the flexibility and competitiveness of our valued customers.

We move our customers one step further; All of our products are branded and supplied with our company logo or your company logo by laser marking according to your request, depending on the OEM agreement.

Our products are marked, signed, numbered and adjusted according to your company's requirement. The products which are marked according to your company's requirement establish a strong, permanent bond in traceability and receive feedback between your company and your customers.

Beyond Sterilization



AYGÜN[®]
SURGICAL INSTRUMENTS CO., INC.

STERILIZATION CONTAINER SYSTEMS

Aygün manufactures sterilization container systems in medical industry since 1988 and releases the quality that takes human health under best protection. Aygün sterilization container systems are made of special alloy - 2mm high quality raw material and serviced to the whole world as 5 different models and 8 colors coding easy distinctiveness. The single block label holders on both sides of the containers also serve for that purpose while carrying handles having 90° mobility and ergonomic design provide easy and secure carrying facilities and the gasket inside the lid ensures perfect tightness.

Besides providing a greener alternative to wrapping method, Aygün sterilization container systems also generate a great return on investment. Aygün meets needs of the market and preferred by many users all over the world because of its high quality, reasonable prices and variety of products that appeal to every user.



WHY

STERILIZATION CONTAINER SYSTEMS

As you know, there are two general methods for the sterilization and protection of surgical instruments: single-use wrap and reusable sterilization container systems.

The main differences between these methods are efficiency and return on investment.

Return on Investment: The single-use wraps seem more economical at first view. They are single-use and disposable. However, these medical wastes are 5-10% of the total medical waste streams of hospitals. Furthermore, single-use wraps can tear during the sterilization process because of any reason. In this case, sterilization is performed again and this may cause many delays. The aluminum sterilization containers can be considered as non-economic at first view but the lifetime of them is more than 5 years. When the lifetime is based on, the total cost reduces approximately at a rate of 70-80% more when compared with the cost of single-use wraps and that's why they are more economical choice.

Environmental Awareness: The sterilization containers has a big role for the care that we need to take for our life space which is polluted more day by day. The sterilization containers do not cause any kind of medical waste streams and protect the environment.

Efficiency: You do not face with any tearing and containerization is a more effective method for the sterilization. In terms of following and detecting the sterilization period and result, It increases the efficiency with accessories like automatic lock, indicator window and security seal.

Reliability: They protect the surgical instruments in the maximum level with the help of their hard and sheltered structure.

Ease of Identification: Reaching the information of instruments inside the sterilization container is easier due to the face plate that sterilization containers have in both sides. Moreover, they provide ease of identification with the help of different lid color options creating color coding.

Safe Handling: They enable more proper, easier and safer transportation with their ergonomic design and handles.



K E E P S A F E

E

E

P

S

T

E

R

I

L

E



AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

All Aygün sterilization container systems are designed for perfect steam penetration, traceability, safety and stability. The locking mechanisms secure excellent grip and ensure up and down movement of the lids under steam pressure during the sterilization.

aygun.com

Standard Heights



110 mm

135 mm

150 mm

200 mm

260 mm

TYPES

AND

DIMENSIONS



Aygün sterilization container systems, with most general point of view, are separated into 5 different dimension groups as 1/2, 3/4, 1/1, Extra Large and Extra Long models. Additionally, we can supply smaller models like Dental and Mini Sterilization Containers.

Standard Dimensions



LID & BASE SPECS

In Sterilization Containers



Perforated and Non-Perforated Container Options



Box (Perforated)



Box (Non Perforated)

SUITABILITY OF OUR STERILE CONTAINERS FOR STEAM STERILIZATION PROCEDURES ¹⁾
as per DIN 58953 part 9

Sterilization container	Packing		Steam sterilization procedure acc. to DIN 58946, part 1				
	Description	Symbolic representation and packing system	Gravitation procedure	Pre-vacuum procedure	Fractional vacuum procedure	Fractional flow procedure	Steam injection procedure
with filters (StB-F)	Textiles in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
			○	○	+	+	+
	Textiles in sterilization container with filter in lid, bottom not perforated acc. to DIN 58952 part 1		-	-	+	+	+
			-	-	+	+	○
	Textiles in sterilization container with filter in bottom lid not perforated acc. to DIN 58952 part 1		○	+	+	+	+
			-	○	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+ ³⁾	+	+	+	+
Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom not perforated acc. to DIN 58952 part 1		-	+ ²⁾	+ ²⁾	+ ²⁾	+ ²⁾	
Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in bottom acc. to DIN 58952 part 1		○	+	+	+	+	
with Valves (StB-V)	Textiles in sterilization container with valves in lid and bottom acc. to DIN 58952 part 1		-	○	+	+	○
			-	-	+	+	○
	Textiles in sterilization container with valves in lid no valves on the bottom		-	-	+	+	-
			-	-	+	+	-
	Instruments in wire basket in sterilization container with valve in lid and bottom		-	+ ²⁾	+ ²⁾	+ ²⁾	+ ²⁾
Instruments in wire basket in sterilization container with valve in lid and not perforated		-	+ ²⁾	+ ²⁾	+ ²⁾	+ ²⁾	

Explanation of symbols: + applicable - not applicable ○ limited application

- 1) In order to avoid mistakes with regards to service, operation and/or when loading the sterilizer, please refer to table 1 for correct or wrong combination of sterilization containers for standardized steam sterilization procedures.
- 2) Only sterilization containers guaranteeing evaporation or discharge of condensate are suitable above.
- 3) Gravitation procedures having no drying device do not guarantee a sufficient after-drying effect.

What We Offer?

Solution

Product range for sterile instrument processing of Aygün offers sterilizing, transportation and storage solution with different filtering systems for all hospital and clinic instrument sets used in surgery rooms. By providing many different sizes and complementary accessories Aygün provides a universal solution for sterilization supply of CSSDs.



feel the **perfection**
at every point

STANDARD PLUS

STERILIZATION CONTAINER SYSTEMS

8 Different Colours

The Standard + containers are the latest product model of the container systems range, with the improved design details presented to the market by Aygün. This model, which is produced with stable and robust boxes and covers, is also offered to customers with a total of 8 different color coding options, with 2 new colors added. This container model can be used with both a disposable paper filter and 2000 cycle PTFE Teflon filter. The model, which supports all additional features such as modular auto lock supported by previous models, is available in 5 different sizes. The carrying handles have a 90° mobility capability, but can also be ordered with 8 different colors of silicone coating.

The locking mechanism made of aluminum has a spring system and can offer more flexibility and grip performance. Boxes and covers are produced with 2 mm thick special alloy aluminum. The boxes can be ordered with or without perforation. The safety lids which are second cover for effective external protection, are also available for 3 main sizes.

Box Types



Box (Perforated)



Box (Non Perforated)



Standard Heights



110 mm

135 mm

150 mm

200 mm

260 mm

Dimensions



1/2 Half Size

3/4 Quarter Size

1/1 Full Size

Extra Large Size

Extra Long Size

Page 28 -29

Page 26 -27

Page 24 -25

Page 30 -31

Page 32 -33

STANDARD PLUS

STERILIZATION CONTAINER SYSTEMS

1/1 Full Size

Box Types



Box (Perforated)



Box (Non Perforated)



8 Different Colours



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-105	600 x 272 x 96 mm	543 x 258 x 90 mm	1945 g
K6-106	600 x 272 x 116 mm	543 x 258 x 110 mm	2100 g
K6-107	600 x 272 x 138 mm	543 x 258 x 132 mm	2255 g
K6-108	600 x 272 x 190 mm	543 x 258 x 184 mm	2655 g
K6-109	600 x 272 x 235 mm	543 x 258 x 229 mm	3100 g



Box (Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-100	600 x 272 x 96 mm	543 x 258 x 78 mm	2200 g
K6-101	600 x 272 x 116 mm	543 x 258 x 99 mm	2360 g
K6-102	600 x 272 x 138 mm	543 x 258 x 121 mm	2520 g
K6-103	600 x 272 x 190 mm	543 x 258 x 173 mm	2975 g
K6-104	600 x 272 x 235 mm	543 x 258 x 218 mm	3355 g

Perforated Lids

Dimension	Weight
585 x 285 mm	1395 g

Color	Code
Grey	K6-3120
Yellow	K6-3121
Green	K6-3122
Blue	K6-3123
Red	K6-3124
Black	K6-3125
Purple	K6-3126
Bronze	K6-3127

Removal Lids

Dimension	Weight
585 x 285 mm	1271 g

Color	Code
Grey	K6-3130
Yellow	K6-3131
Green	K6-3132
Blue	K6-3133
Red	K6-3134
Black	K6-3135
Purple	K6-3128
Bronze	K6-3129

Safety Lids

Dimension	Weight
606 x 288 mm	1175 g

Color	Code
Grey	K6-3230
Yellow	K6-3231
Green	K6-3232
Blue	K6-3233
Red	K6-3234
Black	K6-3235
Purple	K6-3236
Bronze	K6-3237

STANDARD PLUS

STERILIZATION CONTAINER SYSTEMS

3/4 Quarter Size

Box Types



Box (Perforated)



Box (Non Perforated)



8 Different Colours



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-305	475 x 272 x 96 mm	422 x 258 x 90 mm	1670 g
K6-306	475 x 272 x 116 mm	422 x 258 x 110 mm	1760 g
K6-307	475 x 272 x 138 mm	422 x 258 x 132 mm	1895 g
K6-308	475 x 272 x 185 mm	422 x 258 x 179 mm	2350 g



Box (Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-300	475 x 272 x 96 mm	422 x 258 x 78 mm	1795 g
K6-301	475 x 272 x 116 mm	422 x 258 x 99 mm	1885 g
K6-302	475 x 272 x 138 mm	422 x 258 x 121 mm	2020 g
K6-303	475 x 272 x 185 mm	422 x 258 x 168 mm	2475 g

Perforated Lids

Dimension	Weight
460 x 285 mm	1060 g

Color	Code
Grey	K6-3340
Yellow	K6-3341
Green	K6-3342
Blue	K6-3343
Red	K6-3344
Black	K6-3345
Purple	K6-3346
Bronze	K6-3347

Removal Lids

Dimension	Weight
460 x 285 mm	988 g

Color	Code
Grey	K6-3320
Yellow	K6-3321
Green	K6-3322
Blue	K6-3323
Red	K6-3324
Black	K6-3325
Purple	K6-3348
Bronze	K6-3349

Safety Lids

Dimension	Weight
483 x 290 mm	913 g

Color	Code
Grey	K6-3410
Yellow	K6-3411
Green	K6-3412
Blue	K6-3413
Red	K6-3414
Black	K6-3415
Purple	K6-3416
Bronze	K6-3417

STANDARD PLUS

STERILIZATION CONTAINER SYSTEMS

1/2 Half Size

Box Types



Box (Non Perforated)



Box (Perforated)

AYGUN®



8 Different Colours



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-605	310 x 272 x 96 mm	253 x 258 x 90 mm	1285 g
K6-606	310 x 272 x 116 mm	253 x 258 x 110 mm	1345 g
K6-607	310 x 272 x 138 mm	253 x 258 x 132 mm	1455 g
K6-608	310 x 272 x 185 mm	253 x 258 x 179 mm	1705 g
K6-609	310 x 272 x 235 mm	253 x 258 x 229 mm	1955 g



Box (Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-600	310 x 272 x 96 mm	253 x 258 x 78 mm	1400 g
K6-601	310 x 272 x 116 mm	253 x 258 x 99 mm	1460 g
K6-602	310 x 272 x 138 mm	253 x 258 x 121 mm	1570 g
K6-603	310 x 272 x 185 mm	253 x 258 x 167 mm	1820 g
K6-604	310 x 272 x 235 mm	253 x 258 x 218 mm	2070 g

Perforated Lids

Dimension	Weight
295 x 280 mm	775 g

Color	Code
Grey	K6-3630
Yellow	K6-3631
Green	K6-3632
Blue	K6-3633
Red	K6-3634
Black	K6-3635
Purple	K6-3636
Bronze	K6-3637

Removal Lids

Dimension	Weight
295 x 280 mm	667 g

Color	Code
Grey	K6-3620
Yellow	K6-3621
Green	K6-3622
Blue	K6-3623
Red	K6-3624
Black	K6-3625
Purple	K6-3638
Bronze	K6-3639

Safety Lids

Dimension	Weight
317 x 285 mm	659 g

Color	Code
Grey	K6-3700
Yellow	K6-3701
Green	K6-3702
Blue	K6-3703
Red	K6-3704
Black	K6-3705
Purple	K6-3706
Bronze	K6-3707

STANDARD PLUS

STERILIZATION CONTAINER SYSTEMS

Extra Large Size

Box Types



Box (Perforated)



Box (Non Perforated)



8 Different Colours



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-402	600 x 365 x 105 mm	543 x 350 x 99 mm	2365 g
K6-403	600 x 365 x 167 mm	543 x 350 x 161 mm	2890 g



Box (Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-400	600 x 365 x 105 mm	543 x 350 x 88 mm	2620 g
K6-401	600 x 365 x 167 mm	543 x 350 x 150 mm	3145 g

Perforated Lids

Dimension	Weight
583 x 370 mm	1675 g

Color	Code
Grey	K6-3326
Yellow	K6-3327
Green	K6-3328
Blue	K6-3329
Red	K6-3330
Black	K6-3331
Purple	K6-3315
Bronze	K6-3316

Removal Lids

Dimension	Weight
583 x 370 mm	1405 g

Color	Code
Grey	K6-3332
Yellow	K6-3333
Green	K6-3334
Blue	K6-3335
Red	K6-3336
Black	K6-3337
Purple	K6-3338
Bronze	K6-3339




8 Different Colours

STANDARD PLUS


STERILIZATION CONTAINER SYSTEMS

Extra Long Size

Box Types



Box (Perforated)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-2005	725 x 275 x 127 mm	670 x 260 x 121 mm	2446 g
K6-2007	725 x 275 x 134 mm	670 x 260 x 128 mm	2503 g
K6-2006	725 x 275 x 191 mm	670 x 260 x 185 mm	2974 g



Code	Outside Dimension	Inside Dimension	Weight
K6-2000	725 x 275 x 127 mm	670 x 260 x 110 mm	2700 g
K6-2002	725 x 275 x 134 mm	670 x 260 x 117 mm	2792 g
K6-2001	725 x 275 x 191 mm	670 x 260 x 173 mm	3230 g

Perforated Lids

Dimension	Weight
710 x 285 mm	1572 g

Color	Code
Grey	K6-3370
Yellow	K6-3371
Green	K6-3372
Blue	K6-3373
Red	K6-3374
Black	K6-3375
Purple	K6-3376
Bronze	K6-3377

Removal Lids

Dimension	Weight
710 x 285 mm	1287 g

Color	Code
Grey	K6-3380
Yellow	K6-3381
Green	K6-3382
Blue	K6-3383
Red	K6-3384
Black	K6-3385
Purple	K6-3386
Bronze	K6-3387

BIO BARRIER

STERILIZATION CONTAINER SYSTEMS

8 Different Colours

Aygün Bio-Barrier model sterilization container systems are designed with mechanical valves both in bottom and lid which run in a way that they do not need any disposable filter use and can be used minimum 5000 cycles. The mechanical valve systems set on the lid or box run with atmospheric pressure occurring in the autoclave during sterilization. When the sterilization process starts, because of the occurring (+) pressure, the valves open and let the steam penetration into the sterilization container. When the vacuum process starts at the end of the sterilization, because of the occurring (-) pressure, the steam outlet valve opens and the steam exhausts from the box. When the sterilization process is completed, as there is no pressure (+ or -) in autoclave, both valves are in closed position. By this way, it gains qualification to keep the products in it as sterilized. The valves are ensured to be closed %100 due to the special silicone gaskets on mechanical valve systems. Moreover, the mechanical valve system these sterilization containers is demountable by the user in order to control it when desired.

Aygün Bio-Barrier model sterilization container systems are manufactured as five different lengths, width and height and can be supplied with safety lids for effective external protection. These safety lids do not interfere with sterilization and they provide protection to the valve mechanism against liquids and dust as a second lid. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo-lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.

Box Types



Box (With Barrier)



Box (Non Perforated)



Standard Heights



110 mm

135 mm

150 mm

200 mm

260 mm

Dimensions



1/2 Half Size

3/4 Quarter Size

1/1 Full Size

Extra Large Size

Extra Long Size

Page 42 -43

Page 40 -41

Page 38 -39


Page 44 -45

Page 46 -47




Barrier Mechanism Parts


Barrier model containers are composed of a "mechanical filtering system". The valves inside this filtering system have three different positions during the sterilization cycle which are called relax position, pre-sterilization and post-sterilization. It can be used at least 5000 cycles.




Cross section of mechanism & Working Principles




Before sterilization cycle the valves of the Barrier Model Container are closed and in relax position.




At the beginning of the sterilization cycle, by the effect of vacuum the valves are opened completely and dry air goes out of the container.



During the sterilization cycle the valves are opened with effect of pressure in the reverse way totally opposite of the way moved by the effect of vacuum.



At the end of the sterilization cycle the autoclave (sterilizer) equates the pressure level and the valves opened the way by effect of vacuum.



After sterilization cycle the valves of the Barrier Model Container are closed and in relax position.

BIO BARRIER

STERILIZATION CONTAINER SYSTEMS

1/1 Full Size

Box Types




Box (With Barrier)



Box (Non Perforated)



8 Different Colours 



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-105	600 x 272 x 96 mm	543 x 258 x 90 mm	1945 g
K6-106	600 x 272 x 116 mm	543 x 258 x 110 mm	2100 g
K6-107	600 x 272 x 138 mm	543 x 258 x 132 mm	2255 g
K6-108	600 x 272 x 190 mm	543 x 258 x 184 mm	2655 g
K6-109	600 x 272 x 235 mm	543 x 258 x 229 mm	3100 g



Box (With Barrier)

Code	Outside Dimension	Inside Dimension	Weight
K7-100	600 x 272 x 108 mm	543 x 258 x 60 mm	2640 g
K7-101	600 x 272 x 128 mm	543 x 258 x 76 mm	2840 g
K7-102	600 x 272 x 150 mm	543 x 258 x 98 mm	2940 g
K7-103	600 x 272 x 197 mm	543 x 258 x 150 mm	3390 g
K7-104	600 x 272 x 247 mm	543 x 258 x 195 mm	3780 g

Barrier System Lids

Dimension	Weight
585 x 285 mm	1840 g



Color	Code
Grey	K7-120
Yellow	K7-121
Green	K7-122
Blue	K7-123
Red	K7-124
Black	K7-125
Purple	K7-126
Bronze	K7-127

Safety Lids

Dimension	Weight
606 x 288 mm	1200 g



Color	Code
Grey	K7-400
Yellow	K7-401
Green	K7-402
Blue	K7-403
Red	K7-404
Black	K7-405
Purple	K7-418
Bronze	K7-419

BIO BARRIER

STERILIZATION CONTAINER SYSTEMS

3/4 Quarter Size

Box Types



Box (With Barrier)




Box (Non Perforated)

AYGUN
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours



Code	Outside Dimension	Inside Dimension	Weight
K6-305	475 x 272 x 96 mm	422 x 258 x 90 mm	1670 g
K6-306	475 x 272 x 116 mm	422 x 258 x 110 mm	1760 g
K6-307	475 x 272 x 138 mm	422 x 258 x 132 mm	1895 g
K6-308	475 x 272 x 185 mm	422 x 258 x 179 mm	2350 g



Code	Outside Dimension	Inside Dimension	Weight
K7-300	475 x 272 x 108 mm	422 x 258 x 60 mm	2020 g
K7-301	475 x 272 x 128 mm	422 x 258 x 76 mm	2130 g
K7-302	475 x 272 x 150 mm	422 x 258 x 98 mm	2260 g
K7-303	475 x 272 x 197 mm	422 x 258 x 145 mm	2530 g

Barrier System Lids

Dimension	Weight
460 x 285 mm	1250 g

Color	Code
Grey	K7-340
Yellow	K7-341
Green	K7-342
Blue	K7-343
Red	K7-344
Black	K7-345
Purple	K7-346
Bronze	K7-347

Safety Lids

Dimension	Weight
483 x 290 mm	1000 g

Color	Code
Grey	K7-406
Yellow	K7-407
Green	K7-408
Blue	K7-409
Red	K7-410
Black	K7-411
Purple	K7-420
Bronze	K7-421

BIO BARRIER

STERILIZATION CONTAINER SYSTEMS

1/2 Half Size

Box Types



Box (With Barrier)



Box (Non Perforated)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-605	310 x 272 x 96 mm	253 x 258 x 90 mm	1285 g
K6-606	310 x 272 x 116 mm	253 x 258 x 110 mm	1345 g
K6-607	310 x 272 x 138 mm	253 x 258 x 132 mm	1455 g
K6-608	310 x 272 x 185 mm	253 x 258 x 184 mm	1705 g
K6-609	310 x 272 x 235 mm	253 x 258 x 229 mm	1955 g



Box (With Barrier)

Code	Outside Dimension	Inside Dimension	Weight
K7-600	310 x 272 x 108 mm	253 x 258 x 60 mm	1710 g
K7-601	310 x 272 x 128 mm	253 x 258 x 76 mm	1770 g
K7-602	310 x 272 x 150 mm	253 x 258 x 98 mm	1880 g
K7-603	310 x 272 x 197 mm	253 x 258 x 150 mm	2130 g
K7-604	310 x 272 x 247 mm	253 x 258 x 195 mm	2380 g

Barrier System Lids

Dimension	Weight
295 x 280 mm	980 g

Color	Code
Grey	K7-630
Yellow	K7-631
Green	K7-632
Blue	K7-633
Red	K7-634
Black	K7-635
Purple	K7-636
Bronze	K7-637

Safety Lids

Dimension	Weight
317 x 285 mm	700 g

Color	Code
Grey	K7-412
Yellow	K7-413
Green	K7-414
Blue	K7-415
Red	K7-416
Black	K7-417
Purple	K7-422
Bronze	K7-423

BIO BARRIER

STERILIZATION CONTAINER SYSTEMS

Extra Large Size

Box Types




Box (With Barrier)




Box (Non Perforated)

AYGUN®
MEDICAL INSTRUMENTS CO., INC.



8 Different Colours 



Code	Outside Dimension	Inside Dimension	Weight
K6-402	600 x 365 x 105 mm	543 x 350 x 99 mm	2365 g
K6-403	600 x 365 x 167 mm	543 x 350 x 161 mm	2890 g



Code	Outside Dimension	Inside Dimension	Weight
K7-700	600 x 365 x 117 mm	543 x 350 x 65 mm	3045 g
K7-701	600 x 365 x 179 mm	543 x 350 x 127 mm	3570 g



Barrier System Lids

Dimension	Weight
583 x 370 mm	2055 g



Color	Code
Grey	K7-326
Yellow	K7-327
Green	K7-328
Blue	K7-329
Red	K7-330
Black	K7-331
Purple	K7-315
Bronze	K7-316

BIO BARRIER

STERILIZATION CONTAINER SYSTEMS

Extra Long Size

Box Types



Box (With Barrier)



Box (Non Perforated)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours



Code	Outside Dimension	Inside Dimension	Weight
K6-2005	725 x 275 x 127 mm	670 x 260 x 121 mm	2446 g
K6-2007	725 x 275 x 134 mm	670 x 260 x 128 mm	2503 g
K6-2006	725 x 275 x 191 mm	670 x 260 x 185 mm	2974 g



Code	Outside Dimension	Inside Dimension	Weight
K7-2000	725 x 275 x 138 mm	670 x 260 x 104 mm	3150 g
K7-2002	725 x 275 x 145 mm	670 x 260 x 111 mm	3282 g
K7-2001	725 x 275 x 203 mm	670 x 260 x 170 mm	3660 g



Barrier System Lids

Dimension	Weight
710 x 285 mm	2000 g

Color	Code
Grey	K7-2120
Yellow	K7-2121
Green	K7-2122
Blue	K7-2123
Red	K7-2124
Black	K7-2125
Purple	K7-2126
Bronze	K7-2127

B³ Barrier

STERILIZATION CONTAINER SYSTEMS

PTFE \rightleftarrows Valve \rightleftarrows Biostop

8 Different Colours

Aygün B3 model sterilization container systems are designed to provide different filtering mechanisms in a single sterilization container according to user preference. Without buying a new lid, the users are able to change the filtering system on the lid. Aygün B3 model sterilization container systems can be used with 3 different filtering mechanisms.

PTFE System: This filtering mechanism is used with 2000 cycles PTFE Teflon Filter which can be changed by the user easily like in standard model filter-based sterilization containers. The filter used in this system is provided only by Aygün which is placed in a cassette

Valve system: Valve system is modernized new model of Aygün Bio-Barrier systems and has the same running principal. This system works with mechanic valve with

positive and negative pressure occurred during sterilization in autoclave and can be used minimum 5000 cycles.

Bio-Stop System: The Bio-Stop system is a flow inhibition system based on a principle discovered by Louis Pasteur. With a separation efficiency of 99.99 %, it offers significantly better protection against microbes and particles. This system can be used minimum 5000 cycles.

Aygün B3 model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.

Box Types



Box (With System)



Box (Non Perforated)

AYGÜN[®]
SURGICAL INSTRUMENTS CO., INC.



Standard Heights



110 mm

135 mm

150 mm

200 mm

260 mm

Dimensions



1/2 Half Size

3/4 Quarter Size

1/1 Full Size

Extra Large Size

Extra Long Size

Page 58 -59

Page 56 -57

Page 54 -55

Page 60 -61

Page 62 -63

Filtering Systems

VALVE System



Mechanism Icon



VALVE System
Mechanism Parts



Filtering Systems

PTFE System



Mechanism Icon



PTFE System
Mechanism Parts



Filtering Systems

BIO-STOP
System ppsu



BIO-STOP System ppsu
Mechanism Parts

Filtering Systems

BIO-STOP
System aluminium



BIO-STOP System aluminium
Mechanism Parts

B³ Barrier

STERILIZATION CONTAINER SYSTEMS

PTFE \rightleftharpoons Valve \rightleftharpoons Biostop

1/1 Full Size

AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.



Box Types




Box (With System)




Box (Non Perforated)

8 Different Colours




Code	Outside Dimension	Inside Dimension	Weight
K6-105	600 x 272 x 96 mm	543 x 258 x 90 mm	1945 g
K6-106	600 x 272 x 116 mm	543 x 258 x 110 mm	2100 g
K6-107	600 x 272 x 138 mm	543 x 258 x 132 mm	2255 g
K6-108	600 x 272 x 190 mm	543 x 258 x 184 mm	2655 g
K6-109	600 x 272 x 235 mm	543 x 258 x 229 mm	3100 g



Outside Dimension : 600 x 272 Inside Dimension : 543 x 258

PTFE system	Code	VALVE system	Code	BIO-STOP ppsu	Code	BIO-STOP aluminium	Code	outside / inside height
	K8-100P		K8-100V		K8-100B		K8-100BA	110 mm 63 mm
	K8-101P		K8-101V		K8-101B		K8-101BA	130 mm 81 mm
	K8-102P		K8-102V		K8-102B		K8-102BA	150 mm 101 mm
	K8-103P		K8-103V		K8-103B		K8-103BA	200 mm 153 mm
	K8-104P		K8-104V		K8-104B		K8-104BA	250 mm 199 mm
				Code: K1-995 Weight: 237 g				
								Code: K1-990A Weight: 430 g

B3 Barrier Lids Safety Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-120P	K8-120V	K8-120B	K8-120BA
Yellow	K8-121P	K8-121V	K8-121B	K8-121BA
Green	K8-122P	K8-122V	K8-122B	K8-122BA
Blue	K8-123P	K8-123V	K8-123B	K8-123BA
Red	K8-124P	K8-124V	K8-124B	K8-124BA
Black	K8-125P	K8-125V	K8-125B	K8-125BA
Purple	K8-126P	K8-126V	K8-126B	K8-126BA
Bronze	K8-127P	K8-127V	K8-127B	K8-127BA
Weight	1570 g	1600 g	1805 g	2300 g
Dimension: 585 x 285 mm				

Color	Code
Grey	K6-230
Yellow	K6-231
Green	K6-232
Blue	K6-233
Red	K6-234
Black	K6-235
Purple	K6-236
Bronze	K6-237
Weight : 1050 g	
Dimension: 606 x 288 mm	

B³ Barrier

STERILIZATION CONTAINER SYSTEMS

PTFE \rightleftharpoons Valve \rightleftharpoons Biostop

3/4 Quarter Size


AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.



Box Types




Box (With System)




Box (Non Perforated)

8 Different Colours



Code	Outside Dimension	Inside Dimension	Weight
K6-305	475 x 272 x 96 mm	422 x 258 x 90 mm	1609 g
K6-306	475 x 272 x 116 mm	422 x 258 x 110 mm	1714 g
K6-307	475 x 272 x 138 mm	422 x 258 x 132 mm	1842 g
K6-308	475 x 272 x 185 mm	422 x 258 x 179 mm	2117 g



Outside Dimension : 475 x 272 Inside Dimension : 422 x 258

PTFE system	Code	VALVE system	Code	BIO-STOP ppsu	Code	BIO-STOP aluminium	Code	outside / inside height
	K8-300P		K8-300V		K8-300B		K8-300BA	110 mm / 63 mm
	K8-301P		K8-301V		K8-301B		K8-301BA	130 mm / 81 mm
	K8-302P		K8-302V		K8-302B		K8-302BA	150 mm / 101 mm
	K8-303P		K8-303V		K8-303B		K8-303BA	197 mm / 150 mm
				Code: K1-995 Weight: 237 g		Code: K1-990A Weight: 430 g		

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-340P	K8-340V	K8-340B	K8-340BA
Yellow	K8-341P	K8-341V	K8-341B	K8-341BA
Green	K8-342P	K8-342V	K8-342B	K8-342BA
Blue	K8-343P	K8-343V	K8-343B	K8-343BA
Red	K8-344P	K8-344V	K8-344B	K8-344BA
Black	K8-345P	K8-345V	K8-345B	K8-345BA
Purple	K8-346P	K8-346V	K8-346B	K8-346BA
Bronze	K8-347P	K8-347V	K8-347B	K8-347BA
Weight	1030 g	1045 g	1170 g	1385 g
Dimension: 460 x 285 mm				

Safety Lids



Color	Code
Grey	K6-410
Yellow	K6-411
Green	K6-412
Blue	K6-413
Red	K6-414
Black	K6-415
Purple	K6-416
Bronze	K6-417
Weight : 900 g	
Dimension: 483 x 290 mm	

B³ Barrier STERILIZATION CONTAINER SYSTEMS

PTFE \rightleftharpoons Valve \rightleftharpoons Biostop

1/2 Half Size

AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours


Box Types



Box (With System)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-605	310 x 272 x 96 mm	253 x 258 x 90 mm	1285 g
K6-606	310 x 272 x 116 mm	253 x 258 x 110 mm	1345 g
K6-607	310 x 272 x 138 mm	253 x 258 x 132 mm	1455 g
K6-608	310 x 272 x 185 mm	253 x 258 x 179 mm	1705 g
K6-609	310 x 272 x 235 mm	253 x 258 x 229 mm	1955 g

Outside Dimension : 310 x 272 Inside Dimension : 253 x 258

PTFE system	Code	VALVE system	Code	BIO-STOP ppsu	Code	BIO-STOP aluminium	Code	outside / inside height
Code: K1-970 Weight: 155 g	K8-600P	Code: K1-980 Weight: 165 g	K8-600V	Code: K1-995 Weight: 237 g	Code: K1-990A Weight: 430 g	K8-600B	K8-600BA	110 mm 63 mm
	K8-601P		K8-601V			K8-601B	K8-601BA	130 mm 81 mm
	K8-602P		K8-602V			K8-602B	K8-602BA	150 mm 101 mm
	K8-603P		K8-603V			K8-603B	K8-603BA	200 mm 153 mm
	K8-604P		K8-604V		K8-604B	K8-604BA	250 mm 199 mm	

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-630P	K8-630V	K8-630B	K8-630BA
Yellow	K8-631P	K8-631V	K8-631B	K8-631BA
Green	K8-632P	K8-632V	K8-632B	K8-632BA
Blue	K8-633P	K8-633V	K8-633B	K8-633BA
Red	K8-634P	K8-634V	K8-634B	K8-634BA
Black	K8-635P	K8-635V	K8-635B	K8-635BA
Purple	K8-636P	K8-636V	K8-636B	K8-636BA
Bronze	K8-637P	K8-637V	K8-637B	K8-637BA
Weight	850 g	865 g	985 g	1200 g
Dimension: 295 x 280 mm				

Safety Lids



Color	Code
Grey	K6-700
Yellow	K6-701
Green	K6-702
Blue	K6-703
Red	K6-704
Black	K6-705
Purple	K6-706
Bronze	K6-707
Weight : 610 g	
Dimension: 317 x 285 mm	

B³ Barrier

STERILIZATION CONTAINER SYSTEMS

PTFE \rightleftharpoons Valve \rightleftharpoons Biostop

Extra Large Size

AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.




8 Different Colours

Box Types



Box (With System)



Box (Non Perforated)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-402	600 x 365 x 105 mm	543 x 350 x 99 mm	2271 g
K6-403	600 x 365 x 167 mm	543 x 350 x 161 mm	2856 g



Box (With System)



Outside Dimension : 600 x 365 Inside Dimension : 543 x 350

PTFE system



Code: K1-970
Weight: 155 g

Code
K8-700P
K8-701P

VALVE system



Code: K1-980
Weight: 165 g

Code
K8-700V
K8-701V


BIO-STOP ppsu



Code: K1-995
Weight: 237 g

Code
K8-700B
K8-701B


BIO-STOP aluminium



Code: K1-990A
Weight: 430 g

Code outside / inside height
K8-700BA 120 mm 69 mm
K8-701BA 180 mm 131 mm

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-326P	K8-326V	K8-326B	K8-326BA
Yellow	K8-327P	K8-327V	K8-327B	K8-327BA
Green	K8-328P	K8-328V	K8-328B	K8-328BA
Blue	K8-329P	K8-329V	K8-329B	K8-329BA
Red	K8-330P	K8-330V	K8-330B	K8-330BA
Black	K8-331P	K8-331V	K8-331B	K8-331BA
Purple	K8-315P	K8-315V	K8-315B	K8-315BA
Bronze	K8-316P	K8-316V	K8-316B	K8-316BA
Weight	1830 g	1854 g	2090 g	2347 g

Dimension: 583 x 370 mm

B³ Barrier STERILIZATION CONTAINER SYSTEMS

PTFE \rightleftarrows Valve \rightleftarrows Biostop

Extra Long Size

AYGUN
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours


Box Types




Box (With System)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-2005	725 x 275 x 127 mm	670 x 260 x 121 mm	2446 g
K6-2007	725 x 275 x 134 mm	670 x 260 x 128 mm	2503 g
K6-2006	725 x 275 x 191 mm	670 x 260 x 185 mm	2974 g



Outside Dimension : 725 x 275 Inside Dimension : 670 x 260

PTFE system	Code	VALVE system	Code	BIO-STOP ppsu	Code	BIO-STOP aluminium	Code	outside / inside height
 Code: K1-970 Weight: 155 g	K8-2000P	 Code: K1-980 Weight: 165 g	K8-2000V	 Code: K1-995 Weight: 237 g	K8-2000B	 Code: K1-990A Weight: 430 g	K8-2000BA	138 mm / 95 mm
	K8-2001P		K8-2001V		K8-2001B		K8-2002BA	145 mm / 102 mm
	K8-2002P		K8-2002V		K8-2002B		K8-2001BA	203 mm / 163 mm

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-2120P	K8-2120V	K8-2120B	K8-2120BA
Yellow	K8-2121P	K8-2121V	K8-2121B	K8-2121BA
Green	K8-2122P	K8-2122V	K8-2122B	K8-2122BA
Blue	K8-2123P	K8-2123V	K8-2123B	K8-2123BA
Red	K8-2124P	K8-2124V	K8-2124B	K8-2124BA
Black	K8-2125P	K8-2125V	K8-2125B	K8-2125BA
Purple	K8-2126P	K8-2126V	K8-2126B	K8-2126BA
Bronze	K8-2127P	K8-2127V	K8-2127B	K8-2127BA
Weight	1386 g	1810 g	2047 g	2303 g
Dimension: 710 x 285 mm				

WINDOW MODEL

STERILIZATION CONTAINER SYSTEMS

Aygün window model sterilization container system is one of its patented products. What makes this model different from the others is the window on the lid which its name comes from. This window of made of high performance PPSU transparent material which is resistant against high temperature, impacts, scratches, deformation, discoloration and chemicals and it opens users a way to visually check inside of the sterilization container without opening the lid. The window model lids assures great tightness due to its special assembly method and the gasket system in it. As there is no filtering mechanism on the lid, window model sterilization container boxes strictly must be bottom perforated. Either single use paper or 2000 cycles PTFE Teflon Filters can be used in the box.

In order to allow the air flow and reach to perfect steam penetration the filtering mechanism of this model must have enough space. For that purpose, this sterilization container model is supplied with a wire base inside the container as standard. Except for this container model, all Aygün boxes and lids are compatible with each other. Aygün window model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.



Box Types



Box (With Wire Base)



8 Different Colours



Standard Heights



111 mm

131 mm

153 mm

205 mm

260 mm

Dimensions



1/1 Full Size

3/4 Quarter Size

1/2 Half Size

| Page 66 -67 |

| Page 68 -69 |

| Page 70 -71 |

WINDOW MODEL

STERILIZATION CONTAINER SYSTEMS

1/1 Full Size

Box Types



Box (With Wire Base)



8 Different Colours



Box (With Wire Base)



Window Lids



Code	Outside Dimension	Inside Dimension	Weight
K6-100D	600 x 272 x 111 mm	543 x 258 x 66 mm	2935 g
K6-101D	600 x 272 x 131 mm	543 x 258 x 82 mm	3095 g
K6-102D	600 x 272 x 153 mm	543 x 258 x 104 mm	3255 g
K6-103D	600 x 272 x 197 mm	543 x 258 x 156 mm	3710 g
K6-104D	600 x 272 x 250 mm	543 x 258 x 201 mm	4090 g

Color	Code	Color	Code
Grey	K6-120D	Red	K6-124D
Yellow	K6-121D	Black	K6-125D
Green	K6-122D	Purple	K6-126D
Blue	K6-123D	Bronze	K6-127D
Dimension	602 x 285 mm	Weight	1305 g



8 Different Colours

WINDOW MODEL

STERILIZATION CONTAINER SYSTEMS

3/4 Quarter Size

Box Types



Box (With Wire Base)



Box (With Wire Base)



Window Lids




Code	Outside Dimension	Inside Dimension	Weight
K6-300D	475 x 272 x 111 mm	422 x 258 x 66 mm	2360 g
K6-301D	475 x 272 x 131 mm	422 x 258 x 82 mm	2450 g
K6-302D	475 x 272 x 153 mm	422 x 258 x 104 mm	2585 g
K6-303D	475 x 272 x 200 mm	422 x 258 x 151 mm	3040 g

Color	Code	Color	Code
Grey	K6-340D	Red	K6-344D
Yellow	K6-341D	Black	K6-345D
Green	K6-342D	Purple	K6-346D
Blue	K6-343D	Bronze	K6-347D

Dimension 477 x 285 mm Weight 1020 g




8 Different Colours 

WINDOW MODEL

STERILIZATION CONTAINER SYSTEMS

1/2 Half Size

Box Types



Box (With Wire Base)



Box (With Wire Base)



Code	Outside Dimension	Inside Dimension	Weight
K6-600D	310 x 272 x 111 mm	253 x 258 x 66 mm	1765 g
K6-601D	310 x 272 x 131 mm	253 x 258 x 82 mm	1825 g
K6-602D	310 x 272 x 153 mm	253 x 258 x 104 mm	1935 g
K6-603D	310 x 272 x 197 mm	253 x 258 x 156 mm	2185 g
K6-604D	310 x 272 x 250 mm	253 x 258 x 201 mm	2435 g

Window Lids



Color	Code	Color	Code
Grey	K6-630D	Red	K6-634D
Yellow	K6-631D	Black	K6-635D
Green	K6-632D	Purple	K6-636D
Blue	K6-633D	Bronze	K6-637D
Dimension	312 x 280 mm		Weight 736 g

PLASMA MODEL

LOW TEMPERATURE STERILIZATION CONTAINER SYSTEMS

Aygün plasma model container systems are designed for both steam and plasma sterilization (destroying the microorganisms by free radicals). The suitable accessories like paper filter for steam or polypropylene filter for plasma must be chosen by the user according to the need. The plasma model containers are equipped with carrying handles which have 90° mobility and its ergonomic design provides easy and secure carrying facilities. The gaskets inside the lid and filter retainer ensure perfect tightness while locking mechanism of this system provides excellent grip with its flexible structure.

Aygün plasma model sterilization container systems are manufactured with different length, width and height and can be supplied with perforated bottom and lids. All models and sizes have specific baskets and accessories which can be viewed in following parts.

Box Types



Box (Perforated)



Standard Heights & Dimensions



110 mm

135 mm

150 mm

200 mm



1/1 Full Size

3/4 Quarter Size

1/2 Half Size

Page 74 - 75

Special Models



ENDO MODEL

MINI MODEL

DENTAL MODEL

1/2 DENTAL MODEL

Page 78 - 79

Page 76 - 77

PLASMA MODEL

LOW TEMPERATURE
STERILIZATION CONTAINER SYSTEMS

1/1 Full Size 3/4 Quarter Size 1/2 Half Size

Box Types



AYGUN®
SURGICAL INSTRUMENTS CO., INC.



Box (Perforated)

1/1 FULL SIZE



Code	Outside Dimension	Inside Dimension	Weight
K6-100Z	600 x 272 x 96 mm	543 x 258 x 90 mm	2200 g
K6-101Z	600 x 272 x 116 mm	543 x 258 x 99 mm	2360 g
K6-102Z	600 x 272 x 138 mm	543 x 258 x 121 mm	2520 g

3/4 QUARTER



Code	Outside Dimension	Inside Dimension	Weight
K6-300Z	475 x 272 x 96 mm	422 x 258 x 78 mm	1795 g
K6-301Z	475 x 272 x 116 mm	422 x 258 x 99 mm	1885 g
K6-302Z	475 x 272 x 138 mm	422 x 258 x 121 mm	2020 g
K6-303Z	475 x 272 x 185 mm	422 x 258 x 168 mm	2475 g

1/2 HALF SIZE




Code	Outside Dimension	Inside Dimension	Weight
K6-600Z	310 x 272 x 96 mm	253 x 258 x 78 mm	1400 g
K6-601Z	310 x 272 x 116 mm	253 x 258 x 99 mm	1460 g
K6-602Z	310 x 272 x 138 mm	253 x 258 x 121 mm	1570 g


Perforated Lid



Color	Code
Grey	K6-120Z
Dimension	Weight
585 x 285 mm	1370 g



Color	Code
Grey	K6-340Z
Dimension	Weight
460 x 285 mm	1020 g



Color	Code
Grey	K6-630Z
Dimension	Weight
295 x 280 mm	765 g

PLASMA MODEL

LOW TEMPERATURE
STERILIZATION CONTAINER SYSTEMS

Mini Model Dental Model 1/2 Dental Model

Box Types



Box (Perforated)


AYGUN®
SURGICAL INSTRUMENTS CO., INC.



Box (Perforated)

Perforated Lid


DENTAL MODEL



Code	Outside Dimension	Weight
K6-1860Z	323 x 186 x 43 mm	493 g
K6-1861Z	323 x 186 x 58 mm	535 g
K6-1862Z	323 x 186 x 122 mm	745 g

Color	Code
Grey	K6-1880Z
Dimension	Weight
325 x 192 mm	638 g

1/2 DENTAL MODEL



Code	Outside Dimension	Weight
K6-1560Z	227 x 162 x 57 mm	386 g
K6-1561Z	227 x 162 x 88 mm	463 g
K6-1562Z	227 x 162 x 122 mm	525 g

Color	Code
Grey	K6-1570Z
Dimension	Weight
220 x 170 mm	488 g

MINI MODEL



Code	Outside Dimension	Weight
K6-1960Z	315 x 132 x 32 mm	338 g
K6-1961Z	315 x 132 x 63 mm	432 g
K6-1962Z	315 x 132 x 92 mm	523 g

Color	Code
Grey	K6-1970Z
Dimension	Weight
320 x 142 mm	513 g

PLASMA MODEL

LOW TEMPERATURE
STERILIZATION CONTAINER SYSTEMS

Endo Model


Box Types



Box (Perforated)



AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.




AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.



Box (Perforated)

Perforated Lid



Code	Outside Dimension	Weight
K6-1100Z	528 x 145 x 66 mm	676 g
K6-1101Z	528 x 145 x 88 mm	786 g

Color	Code
Grey	K6-1000Z
Dimension	Weight
532 x 160 mm	795 g

DENTAL, MINI & SPECIAL MODELS

STERILIZATION CONTAINER SYSTEMS

As an addition to all standard sizes, Aygün also provides smaller containers like Mini, Large Dental, Dental, 1/2 Dental, Flat, Endo, Implant, Scopy and Mini Implant Model for preparation of many surgeries like dental or micro surgeries.

Box Types




Box (Perforated)



Box (Non Perforated)



Models



LARGE DENTAL MODEL ▶ Page 82 -83



DENTAL MODEL ▶ Page 84 -85



1/2 DENTAL MODEL ▶ Page 86 -87



ENDO MODEL ▶ Page 88 -89



MINI MODEL ▶ Page 90 -91



FLAT MODEL ▶ Page 92 -93



IMPLANT MODEL ▶ Page 94



MINI IMPLANT MODEL ▶ Page 95



SCOPY MODEL ▶ Page 96 -97

LARGE DENTAL

STERILIZATION CONTAINER SYSTEMS

Box Types



Box (Non Perforated)



8 Different Colours

Standard Heights



115 mm



130 mm



150 mm



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1665	380 x 244 x 100 mm	330 x 234 x 94 mm	1350 g
K6-1666	380 x 244 x 116 mm	330 x 234 x 112 mm	1465 g
K6-1667	380 x 244 x 138 mm	330 x 234 x 130 mm	1600 g

Dimension	Weight
365 x 255 mm	835 g



Perforated Lids

Color	Code
Grey	K6-1680
Yellow	K6-1681
Green	K6-1682
Blue	K6-1683
Red	K6-1684
Black	K6-1685
Purple	K6-1686
Bronze	K6-1687

Dimension	Weight
365 x 255 mm	765 g



Removal Lids

Color	Code
Grey	K6-1690
Yellow	K6-1691
Green	K6-1692
Blue	K6-1693
Red	K6-1694
Black	K6-1695
Purple	K6-1696
Bronze	K6-1697

Dimension	Weight
365 x 255 mm	1020 g



Bio Barrier Lids

Color	Code
Grey	K7-1680
Yellow	K7-1681
Green	K7-1682
Blue	K7-1683
Red	K7-1684
Black	K7-1685
Purple	K7-1686
Bronze	K7-1687

DENTAL MODEL

STERILIZATION CONTAINER SYSTEMS

Box Types



Box (With Barrier)



Box (Perforated)



Box (Non Perforated)

Standard Heights



55 mm



70 mm



100 mm



135 mm

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-1865	320 x 186 x 43 mm	281 x 184 x 38 mm	360 g
K6-1866	320 x 186 x 59 mm	281 x 184 x 54 mm	425 g
K6-1868	320 x 186 x 102 mm	281 x 184 x 98 mm	560 g
K6-1867	320 x 186 x 122 mm	281 x 184 x 118 mm	634 g



Box (Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-1860	320 x 186 x 43 mm	281 x 184 x 28 mm	500 g
K6-1861	320 x 186 x 58 mm	281 x 184 x 46 mm	550 g
K6-1863	320 x 186 x 102 mm	281 x 184 x 93 mm	695 g
K6-1862	320 x 186 x 122 mm	281 x 184 x 110 mm	755 g



Box (With Barrier)

Code	Outside Dimension	Inside Dimension	Weight
K7-1861	320 x 186 x 69 mm	281 x 184 x 35 mm	765 g
K7-1863	320 x 186 x 112 mm	281 x 184 x 79 mm	910 g
K7-1862	320 x 186 x 132 mm	281 x 184 x 99 mm	984 g



Perforated Lids

Dimension	Weight
325 x 192 mm	638 g

Color	Code
Grey	K6-1880
Yellow	K6-1881
Green	K6-1882
Blue	K6-1883
Red	K6-1884
Black	K6-1885
Purple	K6-1886
Bronze	K6-1887



Removal Lids

Dimension	Weight
325 x 192 mm	500 g

Color	Code
Grey	K6-1870
Yellow	K6-1871
Green	K6-1872
Blue	K6-1873
Red	K6-1874
Black	K6-1875
Purple	K6-1876
Bronze	K6-1877



Barrier Lids

Dimension	Weight
325 x 192 mm	862 g

Color	Code
Grey	K7-1880
Yellow	K7-1881
Green	K7-1882
Blue	K7-1883
Red	K7-1884
Black	K7-1885
Purple	K7-1886
Bronze	K7-1887



8 Different Colours

1/2 DENTAL MODEL

STERILIZATION CONTAINER SYSTEMS

Box Types



Box (Perforated)



Box (Non Perforated)

Standard Height Dimensions



63 mm




100 mm



130 mm



Code	Outside Dimension	Inside Dimension	Weight
K6-1565	227 x 162 x 57 mm	190 x 158 x 48 mm	245 g
K6-1566	227 x 162 x 88 mm	190 x 158 x 88 mm	335 g
K6-1567	227 x 162 x 122 mm	190 x 158 x 118 mm	410 g



Code	Outside Dimension	Inside Dimension	Weight
K6-1560	227 x 162 x 57 mm	190 x 158 x 40 mm	385 g
K6-1561	227 x 162 x 88 mm	190 x 158 x 80 mm	440 g
K6-1562	227 x 162 x 122 mm	190 x 158 x 110 mm	545 g

Perforated Lids

Dimension	Weight
232 x 174 mm	495 g

Color	Code
Grey	K6-1570
Yellow	K6-1571
Green	K6-1572
Blue	K6-1573
Red	K6-1574
Black	K6-1575
Purple	K6-1576
Bronze	K6-1577

Removal Lids

Dimension	Weight
232 x 174 mm	360 g

Color	Code
Grey	K6-1580
Yellow	K6-1581
Green	K6-1582
Blue	K6-1583
Red	K6-1584
Black	K6-1585
Purple	K6-1586
Bronze	K6-1587



8 Different Colours

ENDO MODEL

STERILIZATION CONTAINER SYSTEMS

Box Types



Box (Perforated)



Box (Non Perforated)



Box (Non Perforated)



Box (Perforated)



Code	Outside Dimension	Weight
K6-1105	528 x 145 x 66 mm	675 g
K6-1106	528 x 145 x 88 mm	805 g

Code	Outside Dimension	Weight
K6-1100	528 x 145 x 66 mm	690 g
K6-1101	528 x 145 x 88 mm	885 g



Dimension	Weight
532 x 160 mm	775 g

Perforated Lids

Color	Code
Grey	K6-1000
Yellow	K6-1001
Green	K6-1002
Blue	K6-1003
Red	K6-1004
Black	K6-1005
Purple	K6-1006
Bronze	K6-1007



8 Different Colours

MINI MODEL

STERILIZATION CONTAINER SYSTEMS

Box Types



Box (With Barrier)



Box (Perforated)



Box (Non Perforated)

Standard Heights



45 mm



70 mm



100 mm

2 dimension Bio Barrier Options



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-1965	315 x 132 x 32 mm	273 x 128 x 30 mm	232 g
K6-1966	315 x 132 x 63 mm	273 x 128 x 58 mm	315 g
K6-1967	315 x 132 x 92 mm	273 x 128 x 90 mm	419 g



Box (Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-1960	315 x 132 x 32 mm	273 x 128 x 18 mm	350 g
K6-1961	315 x 132 x 63 mm	273 x 128 x 48 mm	440 g
K6-1962	315 x 132 x 92 mm	273 x 128 x 78 mm	523 g



Box (With Barrier)

Code	Outside Dimension	Inside Dimension	Weight
K7-1961	315 x 132 x 73 mm	273 x 128 x 39 mm	665 g
K7-1962	315 x 132 x 102 mm	273 x 128 x 71 mm	769 g



Perforated Lids

Dimension	Weight
315 x 140 mm	510 g

Color	Code
Grey	K6-1970
Yellow	K6-1971
Green	K6-1972
Blue	K6-1973
Red	K6-1974
Black	K6-1975
Purple	K6-1976
Bronze	K6-1977



Removal Lids

Dimension	Weight
315 x 140 mm	380 g

Color	Code
Grey	K6-1980
Yellow	K6-1981
Green	K6-1982
Blue	K6-1983
Red	K6-1984
Black	K6-1985
Purple	K6-1986
Bronze	K6-1987



Barrier Lids

Dimension	Weight
315 x 142 mm	680 g

Color	Code
Grey	K7-1970
Yellow	K7-1971
Green	K7-1972
Blue	K7-1973
Red	K7-1974
Black	K7-1975
Purple	K7-1976
Bronze	K7-1977

FLAT MODEL

STERILIZATION CONTAINER SYSTEMS

Box Types



Box (With Barrier)



Box (Perforated)



Box (Non Perforated)

Standard Heights



75 mm



90 mm

2 dimension Bio Barrier Options

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours



Box (Non Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-1775	295 x 270 x 60 mm	258 x 260 x 56 mm	650 g
K6-1776	295 x 270 x 72 mm	258 x 260 x 66 mm	720 g



Box (Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-1770	295 x 270 x 60 mm	258 x 260 x 40 mm	740 g
K6-1771	295 x 270 x 72 mm	258 x 260 x 52 mm	825 g




Box (With Barrier)

Code	Outside Dimension	Inside Dimension	Weight
K7-1770	295 x 270 x 72 mm	258 x 260 x 37 mm	964 g
K7-1771	295 x 270 x 84 mm	258 x 260 x 47 mm	987 g

Perforated Lids		Removal Lids		Bio Barrier Lids		Safety Lids		For Bio Barrier Safety Lids	
Dimension	Weight	Dimension	Weight	Dimension	Weight	Dimension	Weight	Dimension	Weight
295 x 280 mm	730 g	295 x 280 mm	610 g	295 x 280 mm	955 g	317 x 285 mm	610 g	317 x 285 mm	700 g



Color	Code	Color	Code	Color	Code	Color	Code	Color	Code
Grey	K6-1780	Grey	K6-1790	Grey	K7-1780	Grey	K6-1418	Grey	K7-1418
Yellow	K6-1781	Yellow	K6-1791	Yellow	K7-1781	Yellow	K6-1419	Yellow	K7-1419
Green	K6-1782	Green	K6-1792	Green	K7-1782	Green	K6-1420	Green	K7-1420
Blue	K6-1783	Blue	K6-1793	Blue	K7-1783	Blue	K6-1421	Blue	K7-1421
Red	K6-1784	Red	K6-1794	Red	K7-1784	Red	K6-1422	Red	K7-1422
Black	K6-1785	Black	K6-1795	Black	K7-1785	Black	K6-1423	Black	K7-1423
Purple	K6-1786	Purple	K6-1796	Purple	K7-1786	Purple	K6-1424	Purple	K7-1424
Bronze	K6-1787	Bronze	K6-1797	Bronze	K7-1787	Bronze	K6-1425	Bronze	K7-1425




8 Different Colours

IMPLANT MODEL

STERILIZATION CONTAINER SYSTEMS

Box & Lids Types



All container measurements cover the outer size of the lids.

Dimension	Implant Models	Lid Perforated	Lid Perforated	Lid Non Perforated	
		Box Non Perforated	Box Perforated	Box Non Perforated	
300 x 150 x 75 mm		Color	Code	Code	Code
		Black	K5-010	K5-022	K5-034
		Red	K5-011	K5-023	K5-035
		Blue	K5-012	K5-024	K5-036
		Green	K5-013	K5-025	K5-037
		Yellow	K5-014	K5-026	K5-038
		Grey	K5-015	K5-027	K5-039
		Purple	K5-048	K5-052	K5-056
		Bronze	K5-049	K5-053	K5-057
		500 x 170 x 75 mm		Color	Code
Black	K5-016			K5-028	K5-040
Red	K5-017			K5-029	K5-041
Blue	K5-018			K5-030	K5-042
Green	K5-019			K5-031	K5-043
Yellow	K5-020			K5-032	K5-044
Grey	K5-021			K5-033	K5-045
Purple	K5-050			K5-054	K5-058
Bronze	K5-051			K5-055	K5-059

Dimension	Mini Implant Models	Lid Perforated	Lid Perforated	Lid Non Perforated	
		Box Non Perforated	Box Perforated	Box Non Perforated	
160 x 72 x 57 mm		Color	Code	Code	Code
		Black	K5-200	K5-212	K5-224
		Red	K5-201	K5-213	K5-225
		Blue	K5-202	K5-214	K5-226
		Green	K5-203	K5-215	K5-227
		Yellow	K5-204	K5-216	K5-228
		Grey	K5-205	K5-217	K5-229
		Purple	K5-236	K5-240	K5-244
		Bronze	K5-237	K5-241	K5-245
		200 x 147 x 57 mm		Color	Code
Black	K5-206			K5-218	K5-230
Red	K5-207			K5-219	K5-231
Blue	K5-208			K5-220	K5-232
Green	K5-209			K5-221	K5-233
Yellow	K5-210			K5-222	K5-234
Grey	K5-211			K5-223	K5-235
Purple	K5-238			K5-242	K5-246
Bronze	K5-239			K5-243	K5-247


SCOPY MODEL

STERILIZATION CONTAINER SYSTEMS

Box & Lids Types



All container measurements cover the outer size of the lids.



8 Different Colours

Scopy Models

Dimension	Image	Lid Perforated Box Non Perforated		Lid Perforated Box Perforated	
		Color	Code	Color	Code
260 x 70 x 60 mm		Black	K5-060	Black	K5-072
		Red	K5-061	Red	K5-073
		Blue	K5-062	Blue	K5-074
		Green	K5-063	Green	K5-075
		Yellow	K5-064	Yellow	K5-076
		Grey	K5-065	Grey	K5-077
		Purple	K5-084	Purple	K5-088
		Bronze	K5-085	Bronze	K5-089


Dimension	Image	Lid Perforated Box Non Perforated		Lid Perforated Box Perforated	
		Color	Code	Color	Code
455 x 80 x 70 mm		Black	K5-066	Black	K5-078
		Red	K5-067	Red	K5-079
		Blue	K5-068	Blue	K5-080
		Green	K5-069	Green	K5-081
		Yellow	K5-070	Yellow	K5-082
		Grey	K5-071	Grey	K5-083
		Purple	K5-086	Purple	K5-090
		Bronze	K5-087	Bronze	K5-091



Scopy Models with silicone holders

Dimension	Image	Lid Perforated Box Non Perforated		Lid Perforated Box Perforated	
		Color	Code	Color	Code
275 x 70 x 65 mm		Black	K5-100	Black	K5-115
		Red	K5-101	Red	K5-116
		Blue	K5-102	Blue	K5-117
		Green	K5-103	Green	K5-118
		Yellow	K5-104	Yellow	K5-119
		Grey	K5-105	Grey	K5-120
		Purple	K5-127	Purple	K5-131
		Bronze	K5-128	Bronze	K5-132

Dimension	Image	Lid Perforated Box Non Perforated		Lid Perforated Box Perforated	
		Color	Code	Color	Code
470 x 82 x 74 mm		Black	K5-106	Black	K5-121
		Red	K5-107	Red	K5-122
		Blue	K5-108	Blue	K5-123
		Green	K5-109	Green	K5-124
		Yellow	K5-110	Yellow	K5-125
		Grey	K5-111	Grey	K5-126
		Purple	K5-129	Purple	K5-133
		Bronze	K5-130	Bronze	K5-134




BASKETS

The baskets are the main supplementary components of container systems and they are necessary for a full set container. AYGÜN has focused on 2 main models in basket production. These models are wire basket and perforated sheet basket. AYGÜN has the model and sizes of baskets in its standard production appealing to all container model and sizes. Also, it ensures basket production in demanded sizes besides standard production.

The standard diameter of the wire used in basket production is 1 mm and mesh distance is 4 mm. But this distance can also be arranged according to the special demands. Besides, AYGÜN manufactures fine mesh baskets for small instruments, laundry baskets and endoscopic baskets. These baskets can also be produced in demanded sizes and mesh distances.

Please contact our company for any special production basket.



For 1/1 Models



Code **Outside Dimension**

K3-740	540 x 253 x 40 mm
K3-741	540 x 253 x 60 mm
K3-742	540 x 253 x 80 mm
K3-743	540 x 253 x 110 mm

Code **Outside Dimension**

K3-744	485 x 253 x 40 mm
K3-745	485 x 253 x 60 mm
K3-746	485 x 253 x 80 mm
K3-747	485 x 253 x 110 mm

For 1/1 Models




Code **Dimension**

K3-760	542 x 256 x 4 mm
--------	------------------

Code **Dimension**

K3-761	487 x 256 x 4 mm
--------	------------------




For 3/4 Models



Code	Outside Dimension
K3-748	405 x 253 x 40 mm
K3-749	405 x 253 x 60 mm
K3-750	405 x 253 x 80 mm
K3-751	405 x 253 x 110 mm

For 1/2 Models



Code	Outside Dimension
K3-752	244 x 253 x 40 mm
K3-753	244 x 253 x 60 mm
K3-754	244 x 253 x 80 mm
K3-755	244 x 253 x 110 mm

For Extra Large Models



Code	Outside Dimension
K3-705	533 x 340 x 40 mm
K3-706	533 x 340 x 60 mm
K3-707	533 x 340 x 80 mm
K3-708	533 x 340 x 110 mm

For Extra Long Models




Code	Outside Dimension
K3-711	665 x 253 x 40 mm
K3-712	665 x 253 x 60 mm
K3-713	665 x 253 x 80 mm
K3-714	665 x 253 x 110 mm

For 3/4 Models



Code	Outside Dimension
K3-762	407 x 256 x 4 mm

For 1/2 Models



Code	Outside Dimension
K3-763	247 x 256 x 4 mm

For Extra Large Models




Code	Outside Dimension
K3-709	539 x 346 x 4 mm

For Extra Long Models




Code	Outside Dimension
K3-710	667 x 256 x 4 mm



For Large Dental Models

For Dental Models

For Mini Models



Code **Outside Dimension**

K3-771 320 x 220 x 60 mm

K3-772 320 x 220 x 80 mm

K3-773 320 x 220 x 110 mm

Code **Outside Dimension**

K3-756 275 x 175 x 45 mm

K3-757 275 x 175 x 105 mm

Code **Outside Dimension**

K3-758 265 x 125 x 55 mm

For Large Dental Models

For Dental Models

For Mini Models



Code **Outside Dimension**

K3-770 322 x 223 x 4 mm

Code **Outside Dimension**

K3-764 277 x 178 mm

Code **Outside Dimension**

K3-765 267 x 127 mm

Stand




Code K3-767 **Height** 20 mm




Code K3-768 **Height** 10 mm



Code K3-766 **Height** 5 mm



Our wire mesh and perforated sheet baskets can be manufactured in any size.



Please contact for detailed information



Code	Outside Dimension
K3-787	138 x 124 x 48 mm

Without silicone fixation systems



Code	Outside Dimension
K3-788	146 x 46 x 28 mm

Without silicone fixation systems



Code	Outside Dimension
K3-789	86 x 46 x 28 mm

Without silicone fixation systems
Bottom 2 mm, lid 4 mm perforation



Code	Outside Dimension
K3-780K	274 x 180 x 34 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



Code	Outside Dimension
K3-780	274 x 180 x 32 mm

Without silicone fixation systems



Code	Outside Dimension
K3-786K	191 x 130 x 36 mm

Basket with silicone fixation systems
Holds 12 instruments with Ø 5 mm



Code	Outside Dimension
K3-786	191 x 130 x 34 mm

Without silicone fixation systems



Code	Outside Dimension
K3-781K	274 x 180 x 44 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



Code	Outside Dimension
K3-781	274 x 180 x 42 mm

Code	Outside Dimension
K3-782	274 x 180 x 62 mm

Without silicone fixation systems



Code	Outside Dimension
K3-790K	186 x 72 x 24 mm

Tray with silicone fixation system.
Holds 5 instruments.



Code	Outside Dimension
K3-791K	186 x 99 x 24 mm

Tray with silicone fixation system.
Holds 7 instruments.



Code	Outside Dimension
K3-783K	274 x 88 x 46 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



Code	Outside Dimension
K3-784K	240 x 76 x 30 mm

Basket with blue silicone mat



Code	Outside Dimension
K3-792K	186 x 137 x 24 mm

Tray with silicone fixation system.
Holds 10 instruments.




Code	Outside Dimension
K3-793K	286 x 192 x 34 mm

Tray with silicone fixation system.
Holds 20 instruments.



Code	Outside Dimension
K3-785K	188 x 86 x 36 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



Code	Outside Dimension
K3-785	188 x 86 x 32 mm




Basket with blue silicone mat

▽ BASKET MADE FROM
STAINLESS STEEL WIRE MESH

BASKETS
STERILIZATION CONTAINER SYSTEMS

Mesh grid


Actual Size



Code	Outside Dimension
K2-490	246 x 246 x 30 mm
K2-491	246 x 246 x 50 mm
K2-492	246 x 246 x 70 mm
K2-493	246 x 246 x 100 mm




Code	Outside Dimension
K3-1045	246 x 246 mm



Code	Outside Dimension
K2-1500	405 x 245 x 30 mm
K2-1501	405 x 245 x 50 mm
K2-1502	405 x 245 x 70 mm
K2-1503	405 x 245 x 100 mm




Code	Outside Dimension
K3-1034	405 x 245 mm



Code	Outside Dimension
K2-450	480 x 245 x 30 mm
K2-451	480 x 245 x 50 mm
K2-452	480 x 245 x 70 mm
K2-453	480 x 245 x 100 mm




Code	Outside Dimension
K3-1024	485 x 245 x 5 mm



Code	Outside Dimension
K2-460	540 x 245 x 30 mm
K2-461	540 x 245 x 50 mm
K2-462	540 x 245 x 70 mm
K2-463	540 x 245 x 100 mm




Code	Outside Dimension
K3-1014	540 x 245 x 5 mm



Code	Outside Dimension
K3-2000	323 x 222 x 50 mm
K3-2001	323 x 222 x 70 mm
K3-2002	323 x 222 x 100 mm




Code	Outside Dimension
K3-2013	323 x 222 x 5 mm



Code	Outside Dimension
K2-1701	533 x 337 x 50 mm
K2-1702	533 x 337 x 70 mm
K2-1703	533 x 337 x 100 mm



Code	Outside Dimension
K3-1707	533 x 337 x 5 mm




Code	Outside Dimension
K2-1801	665 x 250 x 50 mm
K2-1802	665 x 250 x 70 mm
K2-1803	665 x 250 x 100 mm



Code	Outside Dimension
K3-1807	665 x 250 x 5 mm

Mesh Grid



Box With Lid




Code	Outside Dimension
K2-993	268 x 127 x 47 mm


Box



Code	Outside Dimension
K3-1073	268 x 117 x 43 mm



Mesh Grid



Box With Lid




Code	Outside Dimension
K3-611	270 x 175 x 45 mm

Box



Code	Outside Dimension
K3-1070	270 x 170 x 38 mm

Mesh Grid



Box With Lid

Code	Outside Dimension
K3-1100	30 x 30 x 30 mm
K3-1101	40 x 40 x 20 mm
K3-1102	40 x 40 x 40 mm
K3-1103	60 x 60 x 20 mm
K3-1104	60 x 60 x 40 mm
K3-1105	60 x 60 x 60 mm
K3-1106	80 x 80 x 20 mm
K3-1107	80 x 40 x 40 mm
K3-1108	80 x 80 x 40 mm

Box With Lid

Code	Outside Dimension
K3-1109	80 x 80 x 60 mm
K3-1110	80 x 80 x 80 mm
K3-1111	100 x 100 x 10 mm
K3-1112	120 x 120 x 30 mm
K3-1113	120 x 120 x 60 mm
K3-1114	120 x 120 x 80 mm
K3-1115	240 x 240 x 30 mm
K3-1116	240 x 240 x 60 mm
K3-1117	240 x 240 x 80 mm
K3-1118	240 x 240 x 100 mm



Box With Lid



Code	Outside Dimension
K2-995	175 x 153 x 35 mm

Box



Code	Outside Dimension
K3-1079	175 x 144 x 30 mm

WIRE BASE



Code	Outside Dimension
K2-440	545 x 255 x 30 mm



Code	Outside Dimension
K2-1522	405 x 255 x 30 mm



Code	Outside Dimension
K2-482	255 x 255 x 30 mm

LAUNDRY BASKETS



Code	Outside Dimension
------	-------------------

K3-1080	600 x 400 x 150 mm
K3-1081	600 x 400 x 300 mm

Code	Outside Dimension
------	-------------------

K3-1085	600 x 400 x 150 mm
K3-1086	600 x 400 x 300 mm

STE BASKETS



Standard



Front access

Code	Outside Dimension
------	-------------------

K3-1206	575 x 280 x 135 mm
K3-1207	575 x 280 x 265 mm

Code	Outside Dimension
------	-------------------

K3-1208	575 x 280 x 265 mm
---------	--------------------

WIRE NET BASKETS



Code	Outside Dimension
------	-------------------

K3-1200	250 x 170 x 70 mm
K3-1201	340 x 250 x 70 mm
K3-1202	450 x 340 x 70 mm

LID FOR WIRE NET BASKETS



Code	Outside Dimension
------	-------------------

K3-1203	250 x 170 mm
K3-1204	340 x 250 mm
K3-1205	450 x 340 mm

SPRI BASKETS



Double Frame with Folding Handle

Code	Outside Dimension
------	-------------------


K3-1210	585 x 395 x 100 mm
K3-1211	585 x 395 x 195 mm

With Single Frame



Code	Outside Dimension
------	-------------------


K3-1230	600 x 300 x 40 mm
K3-1231	600 x 300 x 50 mm
K3-1232	600 x 300 x 100 mm
K3-1233	600 x 300 x 130 mm
K3-1234	600 x 300 x 150 mm
K3-1235	600 x 300 x 180 mm
K3-1236	600 x 300 x 200 mm
K3-1237	600 x 400 x 100 mm
K3-1238	600 x 400 x 130 mm
K3-1239	600 x 400 x 150 mm
K3-1240	600 x 400 x 180 mm
K3-1241	600 x 400 x 200 mm



Code	Outside Dimension
K3-1050	670 x 80 x 52 mm
K3-1051	460 x 80 x 52 mm
K3-1052	290 x 80 x 52 mm



Code	Outside Dimension
K3-1062	640 x 150 x 77 mm



Code	Outside Dimension
K3-1054	492 x 134 x 55 mm
K3-1055	492 x 134 x 65 mm



Code	Outside Dimension
K3-1119	245 x 130 x 55 mm



Code	Outside Dimension
K3-1120	245 x 130 x 70 mm



Code	Outside Dimension
K3-1121	245 x 130 x 105 mm



WASHER TUBE FOR K-WIRES

The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterilize the K-Wires used especially in orthopedic (trauma) surgery.



Code	Outside Dimension
K4-1051	460 x 100 x 64 mm

K-Wires stainless steel basket with lid.



Code	Outside Dimension
K4-1052	265 x 72 x 64 mm

K-Wires stainless steel basket with lid.

WASHER TUBE FOR K-WIRES

The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterilize the K-Wires used especially in orthopedic (trauma) surgery.

The Aygün washer tubes systems have a special design for getting maximum efficiency.


The dividing part inside the tube provides protection of 4 different diameter wires without intermixing.

With the help of inner tube placed in the middle of the divider, the high pressure water coming of the washer machine flows from inside to outside.

By this way, the wires inside the tube are washed by inside-out and outside-in flow and the disinfection process is completed efficiently.



- The system has 2 different lengths as option.
- Every tube has 4 different tanks for 4 different diameter wires.
- The system has been designed suitable for 12 different diameter from 0,6 mm to 3 mm.



Code	Length	Suitable Wire Diameters
KA-100	150 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KB-100	150 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KC-100	150 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm
KLA-100	300 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KLB-100	300 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KLC-100	300 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm


ACCESSORIES

MODULAR AUTO LOCK MECHANISM

What Is Auto Lock Mechanism

Auto lock mechanism is a heat-sensitive automatic locking system developed in order to ease sterilization control by R&D department. Modular auto lock system designed to be usable with different container systems.

This system has been developed in accordance with the requirements of sterilization to be used in a steam autoclave for our container systems. Auto lock is a system designed in reusable property instead of disposable plastic products that are used as security locks in containers. The system has been tested in our own facilities 5000 cycles and has successfully passed all tests. Minimum expected life of the system is 5000 sterilizations. During this time system is usable without the need for any maintenance or service.



How does Auto Lock Mechanism Work?

The average temperature in the autoclave during sterilization is at the level of 135 ° C degrees.

As the temperature in the autoclave begins to rise above 100 degrees, automatic locking mechanism located on the box is activated. When the mechanism is activated, the red movable locking shaft in it is going forward (Picture 1). When the movable locking shaft is going forward, it blocks the locking mechanism in lid and so it prevents uncontrolled opening of the lid.

The process of the system becoming inactive is as following: After sterilization process has been completed and container has been removed from the autoclave, the container and Auto Lock system are allowed to cool between 5 and 10 minutes. Then the red movable locking shaft is pushed back with the help of fingers (Picture 3). Thus, lid closure of the container ceases to be blocked and comes to opened position.

When the container enters into each sterilization, these processes are repeated in the same manner.

When the user sees that Auto Lock mechanism is activated (Picture 1), he/she can understand that the container has entered to the sterilization process. If Auto lock mechanism is inactive (Picture 2), it means that this container has been previously opened.

What Are The Advantages Of Modular Auto Mechanism?

Because of system being reusable, it is more economical when you compare with plastic security seal usage.

System is modular, so it can be usable with different brand products. In this reason, so many users can make use of system advantages.

After the usage of disposable products, plastic material harms the nature. Because of reusable property of auto lock mechanism and because of recycling raw material inside, system does not harm the nature.

Disposable products have many disadvantages such as purchasing, storage and inventory tracking. Auto Lock mechanism saves the user from this workload and cost.


Disposable products must be attached to the (2) container(s) prior to each sterilization and this leads to loss of time for the employees.

Auto Lock Mechanism removes the difficulties faced during the use of security seals. In breakdown condition, because of product is not fixed on the container, system can be easily serviceable or changeable so container does not needs replacing.




Code


K1-900 (2 pcs)




Picture 1 (Closed Position)



Picture 3



Picture 2



Picture 4




WARNING: It's possible to move the movable shaft with only the effect of temperature. It's not possible under normal conditions to activate (to be brought into locked position) lock mechanism.

All our container systems with Auto Lock mechanism are designed to be used also with plastic security seal when necessary (Picture 4).

MODULAR AUTO LOCK MECHANISM

TÜRK PATENT ENSTİTÜSÜ
No: a2012 00715

DEUTSCHES PATENT
Nr. 20 2013 100 251.8



AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

Assembly And Disassembly Of Modular Auto Lock Mechanism

Picture 1



Locking clamp should be removed from the groove before assembly.

Picture 2



Then it should be placed to the container label part as shown picture.

Picture 3



When you sure that product is snug, locking clamp should be placed through the arrow direction.

Picture 4



Please be sure that locking stamp is forwarded to the end of the clamp groove and it is locked.



Lock mechanism should be in open position for the disassembly process (Picture 2).

It is not possible to make disassembly on closed position (Picture 1).

When you sure that lock mechanism is on open position, locking clamp can be removable by pulling backward through the reverse direction of the locking direction.

WINDOW FOR EMULATING INDICATOR

We continue to produce solution for the sterilization management requirements with our 25 years of experience in medical industry. For this purpose, we have developed emulating indicator window for the sterilization container systems.

Aim Of The Window For Emulating Indicator

Emulating indicators are used for the load sterilization monitorization while surgical instruments are loaded to containers in central sterilization services department (CSSD).

During standard container usage it is not possible to see indicator results without opening the lid. When set is decided to use in surgery if result is negative and also if there is no alternative set, surgery is delaying and problems occurs in implementations.


Result of the emulating indicator can observed after cycle easily from the window on the container case. In negative conditions, sterilization processes are repeated before send set to usage. By this way waste of time prohibited and it can help to avoid troubles before start.



NO RISK...

Window For Emulating Indicator

- Transparent PPSU polymer material is used on window part of the system which is suitable to autoclave. PPSU polymer material has resistance to scoring and impact also it is a special material which has heat resistance up to 330°
- Silicon joint is used between window and box to avoid sterilization risk inside the container and security is provided %100 by 4 pieces rivet connection.
- All other parts used in the system is manufactured from anodized aluminum and stainless steel.
- Indicator is designed to place the box from two directions. Also there is a spring mechanism to immobilize indicator because of the pressure inside the indicator placed sections. This spring mechanism and the immobilization property from the two side of indicator are provided to use different branded indicators to use in this system together.



TÜRK PATENT ENSTİTÜSÜ
No: 2014-GE-49085

Usage Of Window For Emulating Indicator

Emulating indicator before placing materials to sterilize inside the box for the sterilization purpose is placed inside the box as below.

When you placed indicator band inside the box, you should be sure that placed references and indicator should appears. You should specify the suitable position by reciprocating motions or rotating reverse the indicator band.

After you placed indicator band fairly, you can start sterilization process by placing materials to sterilize after closing the lid.



ACCESSORIES

STERILIZATION CONTAINER SYSTEMS



Label (Papers)



Code K2-673

100 pcs. With indicator.

For small size and special containers



Code K2-672

100 pcs. With indicator.

For full and Half size containers



Identification Labels (Aluminium)

Thoracotomy	Basic Set
Basic Set	Thoracotomy
Thoracotomy	Basic Set
Basic Set	Thoracotomy

Color	Code
Red	K2-700
Blue	K2-701
Green	K2-702
Yellow	K2-703
Grey	K2-704
Black	K2-705
Purple	K2-706
Bronze	K2-707

Coloured identification labels
Engraved to your specifications
Maximum 16 letters



Identification (Aluminium)



Label Holder

Color	Code
Red	K2-560
Blue	K2-561
Green	K2-562
Yellow	K2-563
Grey	K2-564
Black	K2-565
Purple	K2-566
Bronze	K2-567

Labels

Color	Code
Red	K2-570
Blue	K2-571
Green	K2-572
Yellow	K2-573
Grey	K2-574
Black	K2-575
Purple	K2-576
Bronze	K2-577

Coloured identification labels
Engraved to your specification

Grey coloured recommended for use in Sterrad. Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.





Code K2-663 Blue

100 pcs. with indicator.
made of plastic



Code K2-664 Blue

100 pcs. made of plastic



Code K2-661 Blue

100 pcs. with number.
made of plastic



Code K2-662 Red

100 pcs. with indicator.
made of plastic



Code K2-660 Red

100 pcs. made of plastic



Code K2-665 Red

100 pcs. with number.
made of plastic



PLASMA MODEL ACCESSORIES


SECURITY SEAL



Code K2-663Z Blue


100 pcs. with indicator.
For hydrogen peroxide
plasma sterilization

LABEL



Code K2-672Z

100 pcs. with indicator.
For hydrogen peroxide
plasma sterilization



Code K2-673Z

100 pcs. with indicator.
For hydrogen peroxide
plasma sterilization

FILTERS for hydrogen peroxide plasma sterilization



Code K2-741Z

Diameter: 184 mm

Single use 100 pcs.
for 1/1, 3/4, 1/2 model



Code K3-615Z

Dimension: 235 x 165 mm

Single use 100 pcs.
for Dental model



Code K2-761Z

Dimension: 235 x 120 mm

Single use 100 pcs.
for Mini model



Code K2-780Z

Dimension: 130 x 130 mm

Single use 100 pcs.
for 1/2 Dental model



Code K2-759Z

Dimension: 235 x 105 mm

Single use 100 pcs.
for Endo model



Paper Filter

Paper Filter

Teflon Filter


Teflon Filter
(For B3 PTFE System)



Code K2-740

Diameter 184 mm

Single use 100 pcs
with indicator. Aygun mark.



Code K2-741

Diameter 184 mm

Single use 100 pcs
with indicator. No marking.



Code K2-742

Diameter 194 mm


Number of sterilization
cycle < 2000



Code K2-745

Diameter 90 mm

Number of sterilization
cycle < 2000
to be used with K1-970



Paper Filter Paper Filter Teflon Filter For Dental Model



Code K3-612
Dimension 235 x 165 mm
Single use 100 pcs with indicator. Aygun mark.

Code K3-615
Dimension 235 x 165 mm
Single use 100 pcs with indicator. No marking.

Code K2-743
Dimension 215 x 145 mm
Number of sterilization cycle < 2000

Paper Filter Paper Filter Teflon Filter For Endo Model



Code K2-758
Dimension 235 x 105 mm
Single use 100 pcs with indicator. Aygun mark.

Code K2-759
Dimension 235 x 105 mm
Single use 100 pcs with indicator. No marking.

Code K2-744
Dimension 215 x 95 mm
Number of sterilization cycle < 2000

Paper Filter Paper Filter Teflon Filter For Mini Model



Code K2-760
Dimension 235 x 120 mm
Single use 100 pcs with indicator. Aygun mark.

Code K2-761
Dimension 235 x 120 mm
Single use 100 pcs with indicator. No marking.

Code K2-744
Dimension 215 x 95 mm
Number of sterilization cycle < 2000

Paper Filter Paper Filter Teflon Filter For 1/2 Dental Model




Code K2-781
Dimension 130 x 130 mm
Single use 100 pcs with indicator. Aygun mark.

Code K2-780
Dimension 130 x 130 mm
Single use 100 pcs with indicator. No marking.

Code K2-782
Dimension 130 x 130 mm
Number of sterilization cycle < 2000


FILTER RETAINERS



Code K2-720
Diameter 186 mm
Filter Retainer, for 1/1, 3/4, 1/2, Extra large, Extra long, Large dental



Code K2-1715
Dimension 247 x 172 mm
Filter Retainer, for Dental model




Code K2-1716
Dimension 243 x 120 mm
Filter Retainer, for Mini model



Code K2-1717
Dimension 162 x 144 mm
Filter Retainer, for 1/2 Dental model




Code K2-1718
Dimension 243 x 105 mm
Filter Retainer, for Endo model



Code	Dimension
K2-519	160 x 135 mm
K2-520	275 x 125 mm
K2-521	250 x 235 mm
K2-522	340 x 230 mm (2 pcs)
K2-523	300 x 300 mm
K2-524	380 x 230 mm

Code	Dimension
K2-525	440 x 230 mm
K2-526	520 x 230 mm
K2-527	230 x 220 mm
K2-528	475 x 230 mm
K2-529	260 x 180 mm
K2-532	280 x 200 mm

SILICONE MESH MATS



Code	Dimension
K2-530	250 x 240 mm
K2-531	485 x 250 mm
K2-533	534 x 247 mm
K2-534	395 x 245 mm
K2-535	527 x 335 mm
K2-536	658 x 247 mm

Silicone Mesh Mat,
Enables surgical instruments to be stored
without slip and dry well.



Code	Model	Size
K3-948	Large Dental Silicone Gasket	118 cm
K3-949	1/2 Dental Silicone Gasket	72 cm
K3-950	Mini Silicone Gasket	77 cm
K3-951	Dental Silicone Gasket	89 cm
K3-952	Flat Silicone Gasket	101 cm
K3-953	1/2 Silicone Gasket	101 cm
K3-954	3/4 Silicone Gasket	136 cm
K3-955	1/1 Silicone Gasket	158 cm
K3-956	Extra Large Silicone Gasket	180 cm
K3-957	Extra Long Silicone Gasket	185 cm
K3-958	Endo Silicone Gasket	130 cm



Code	Outside Dimension
K3-1090	502 x 255 x 130 mm


Rack, for endoscopy

- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

Code	Outside Dimension
K3-1093	555 x 255 x 130 mm

Rack, for endoscopy


- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)



Code	Outside Dimension
K3-1092	515 x 250 x 165 mm

Rack, for arthroscopy

- Holds 20 arthroscopy punches
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 440 x 230 mm




Code	Outside Dimension
K3-1094	220 x 250 x 160 mm

Rack, for Kerrison



- Holds 10 Kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Wire basket Extra long 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Container Extra long 180 mm





Code	Length
K1-1601	250 x 9 mm
K1-1602	158 x 9 mm
K1-1603	123 x 9 mm
K1-1604	97 x 9 mm
K1-1605	73 x 9 mm
K1-1606	23,5 x 9 mm

Can be manufactured in any size demanded

Code	Image
K1-680-02 (1 Piece)	
K1-680-03 (1 Piece)	


Kep nut

Screw

With rail, screw and nut

Code	Length	Height
K12-100	250 mm	45 mm
K12-101	152 mm	45 mm
K12-102	125 mm	45 mm
K12-145	97 mm	45 mm


Actual Size



With rail, screw and nut

Code	Length	Height
K12-109	238 mm	45 mm
K12-110	158 mm	45 mm
K12-111	112 mm	45 mm
K12-148	77 mm	45 mm


Actual Size



With rail, screw and nut

Code	Length	Height
K12-106	238 mm	45 mm
K12-107	150 mm	45 mm
K12-108	119 mm	45 mm
K12-147	87 mm	45 mm


Actual Size



With rail, screw and nut

Code	Length	Height
K12-103	240 mm	45 mm
K12-104	150 mm	45 mm
K12-105	120 mm	45 mm
K12-146	90 mm	45 mm


Actual Size



Instruments holder, from Ø 3 to 8 mm
With rail, screw and nut

Code	Length	Height
K12-112	178 mm	24 mm


Actual Size



Code	Length	Height
K12-113	73 mm	24 mm

Instruments holder, Ø 5 mm
With rail, screw and nut

Actual Size






Instruments holder, Ø 3 mm
With rail, screw and nut

Code	Lenght	Height
K12-114	73 mm	24 mm


Actual Size



Instruments holder, Ø 5 mm
With rail, screw and nut

Code	Lenght	Height
K12-125	178 mm	24 mm


Actual Size



Instruments holder, from Ø 3 to
15 mm With rail, screw and nut


Code	Lenght	Height
K12-115	178 mm	34 mm

Actual Size



Code	Lenght	Height
K12-142	40 mm	25 mm


Actual Size



With rail, screw and nut

Code	Lenght	Height
K12-116	121 mm	22 mm

Actual Size



Code	Lenght	Height
K12-126	23.5 mm	25 mm

Ø 10,5 mm With rail, screw and nut

Actual Size



Code	Lenght	Height
K12-127	23.5 mm	25 mm

Ø 8 mm With rail, screw and nut


Actual Size



With rail, screw and nut

Code	Lenght	Height
K12-117	123 mm	22 mm

Actual Size



Code	Lenght	Height
K12-128	23.5 mm	25 mm

Ø 13 mm With rail, screw and nut


Actual Size



Instruments holder, from Ø 3 mm
With rail, screw and nut

Code	Lenght	Height
K12-124	178 mm	24 mm


Actual Size




Code	Lenght	Height
K12-129	23.5 mm	25 mm

Ø 5 mm With rail, screw and nut


Actual Size






Code	Length	Height
K12-130	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 15 mm closed
With rail, screw and nut




Actual Size
Ø 12 mm




Code	Length	Height
K12-141	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 8 mm closed
With rail, screw and nut




Actual Size
Ø 12 mm




Code	Length	Height
K12-131	72 mm	34 mm

Instruments holder from Ø 3 to Ø 15 mm
With rail, screw and nut




Actual Size




Code	Length	Height
K12-132	72 mm	24 mm

Instruments holder, from Ø 3 to Ø 8 mm
With rail, screw and nut




Actual Size




Code	Length	Height
K12-133	38 mm	24 mm

Endoscope holder, double one side
from Ø 3 to Ø 8 mm
With rail, screw and nut




Actual Size




Code	Length	Height
K12-134	28 mm	34 mm

Endoscope holder, single one side Ø 12 mm
open one side from Ø 3 to
Ø 15 mm With rail, screw and nut




Actual Size




Code	Length	Height
K12-135	38 mm	33 mm

Endoscope holder, Ø 4 mm closed
With rail, screw and nut




Actual Size
Ø 4 mm




Code	Length	Height
K12-136	38 mm	33 mm

Endoscope holder, Ø 6 mm closed
With rail, screw and nut




Actual Size
Ø 6 mm




Code	Length	Height
K12-137	38 mm	33 mm

Endoscope holder, Ø 8 mm closed
With rail, screw and nut




Actual Size
Ø 8 mm




Code	Length	Height
K12-138	38 mm	33 mm

Endoscope holder, Ø 12 mm closed
With rail, screw and nut




Actual Size
Ø 12 mm




Code	Length	Height
K12-139	38 mm	33 mm

Endoscope holder, Ø 12 mm closed
With rail, screw and nut




Actual Size
Ø 12 mm




Code	Length	Height
K12-140	38 mm	33 mm

Endoscope holder, Ø 15 mm closed
With rail, screw and nut



Actual Size
Ø 15 mm



K2-650 K2-651 K2-588

Holding pin for divider Holding pin for instruments Fixation clamp



K2-645 K2-646 K2-647 K2-648
DIVIDER 50 x 20 mm DIVIDER 130 x 20 mm DIVIDER 225 x 20 mm DIVIDER 460 x 20 mm

HOLDERS & DIVIDERS




K2-580 Ø 7 - 12 mm K2-581 Ø 12 - 16 mm K2-582 Ø 16 - 26 mm K2-583 Ø 26 - 36 mm K2-584 Ø 36 - 45 mm



Code **Outside Dimension**
K8-490 218 x 45 x 52 mm

Tiltable holding device for 6 micro heads



Code **Outside Dimension**
K2-600 40 x 5 x 18 mm

DIVIDER (use with K2-601 and K2-602)



Code **Outside Dimension**
K2-601 230 x 26 mm
K2-602 470 x 26 mm

Sliding rails with securing screws




Code **Outside Dimension**
K2-604 230 x 26 mm
K2-605 470 x 26 mm

Limiting bar, with security screws




Code **Outside Dimension**
K2-607 233 x 30 mm

Spiral holding device



Code **Outside Dimension**
K2-609 116 x 30 mm



Code **Outside Dimension**
K2-615 112 x 18 mm
K2-616 172 x 18 mm
K2-617 232 x 18 mm
K2-618 472 x 18 mm

Limiting bar



Code **Outside Dimension**
K2-622 233 x 30 mm

Spiral holding



Code **Outside Dimension**
K2-625 126 x 30 mm

Spiral holding



Code K2-620
Spiral holding



Code	Page	Code	Page	Code	Page	Code	Page
K1-680-02	132	K2-582	138	K2-1500	106	K3-781	105
K1-680-03	132	K2-583	138	K2-1501	106	K3-781K	105
K1-900	116	K2-584	138	K2-1502	106	K3-782	105
K1-970	54, 56, 58	K2-588	138	K2-1503	106	K3-783K	105
K1-980	54, 56, 58	K2-600	139	K2-1522	109	K3-784K	105
K1-990A	54, 56, 58	K2-601	139	K2-1701	107	K3-785	105
K1-995	54, 56, 58	K2-602	139	K2-1702	107	K3-785K	105
K1-1601	132	K2-604	139	K2-1703	107	K3-786	104
K1-1602	132	K2-605	139	K2-1715	127	K3-786K	104
K1-1603	132	K2-607	139	K2-1716	127	K3-787	104
K1-1604	132	K2-609	139	K2-1717	127	K3-788	104
K1-1605	132	K2-615	139	K2-1718	127	K3-789	104
K1-1606	132	K2-616	139	K2-1801	107	K3-790K	104
K2-440	109	K2-617	139	K2-1802	107	K3-791K	104
K2-450	107	K2-618	139	K2-1803	107	K3-792K	104
K2-451	107	K2-620	139	K3-611	108	K3-793K	104
K2-452	107	K2-622	139	K3-612	126	K3-948	129
K2-453	107	K2-625	139	K3-615	126	K3-949	129
K2-460	107	K2-645	138	K3-615Z	124	K3-950	129
K2-461	107	K2-646	138	K3-705	101	K3-951	129
K2-462	107	K2-647	138	K3-706	101	K3-952	129
K2-463	107	K2-648	138	K3-707	101	K3-953	129
K2-482	109	K2-650	138	K3-708	101	K3-954	129
K2-490	106	K2-651	138	K3-709	101	K3-955	129
K2-491	106	K2-660	124	K3-710	101	K3-956	129
K2-492	106	K2-661	124	K3-711	101	K3-957	129
K2-493	106	K2-662	124	K3-712	101	K3-958	129
K2-519	128	K2-663	124	K3-713	101	K3-1014	107
K2-520	128	K2-663Z	124	K3-714	101	K3-1024	107
K2-521	128	K2-664	124	K3-740	99	K3-1034	106
K2-522	128	K2-665	124	K3-741	99	K3-1045	106
K2-523	128	K2-672	123	K3-742	99	K3-1050	112
K2-524	128	K2-672Z	124	K3-743	99	K3-1051	112
K2-525	128	K2-673	123	K3-744	99	K3-1052	112
K2-526	128	K2-673Z	124	K3-745	99	K3-1054	112
K2-527	128	K2-700	123	K3-746	99	K3-1055	112
K2-528	128	K2-701	123	K3-747	99	K3-1062	112
K2-529	128	K2-702	123	K3-748	100	K3-1070	108
K2-530	128	K2-703	123	K3-749	100	K3-1073	108
K2-531	128	K2-704	123	K3-750	100	K3-1079	108
K2-532	128	K2-705	123	K3-751	100	K3-1080	110
K2-533	128	K2-706	123	K3-752	100	K3-1081	110
K2-534	128	K2-707	123	K3-753	100	K3-1085	110
K2-535	128	K2-720	127	K3-754	100	K3-1086	110
K2-536	128	K2-740	125	K3-755	100	K3-1090	130
K2-560	123	K2-741	125	K3-756	102	K3-1092	131
K2-561	123	K2-741Z	124	K3-757	102	K3-1093	130
K2-562	123	K2-742	125	K3-758	102	K3-1094	131
K2-563	123	K2-743	126	K3-760	99	K3-1100	109
K2-564	123	K2-744	126, 127	K3-761	99	K3-1101	109
K2-565	123	K2-745	125	K3-762	100	K3-1102	109
K2-566	123	K2-758	127	K3-763	100	K3-1103	109
K2-567	123	K2-759	127	K3-764	102	K3-1104	109
K2-570	123	K2-759Z	124	K3-765	102	K3-1105	109
K2-571	123	K2-760	126	K3-766	102	K3-1106	109
K2-572	123	K2-761	126	K3-767	102	K3-1107	109
K2-573	123	K2-761Z	124	K3-768	102	K3-1108	109
K2-574	123	K2-780	126	K3-770	102	K3-1109	109
K2-575	123	K2-780Z	124	K3-771	102	K3-1110	109
K2-576	123	K2-781	126	K3-772	102	K3-1111	109
K2-577	123	K2-782	126	K3-773	102	K3-1112	109
K2-580	138	K2-993	108	K3-780	105	K3-1113	109
K2-581	138	K2-995	108	K3-780K	105	K3-1114	109

Code	Page	Code	Page	Code	Page	Code	Page
K3-1115	109	K5-035	94	K5-108	97	K5-239	95
K3-1116	109	K5-036	94	K5-109	97	K5-240	95
K3-1117	109	K5-037	94	K5-110	97	K5-241	95
K3-1118	109	K5-038	94	K5-111	97	K5-242	95
K3-1119	113	K5-039	94	K5-115	97	K5-243	95
K3-1120	113	K5-040	94	K5-116	97	K5-244	95
K3-1121	113	K5-041	94	K5-117	97	K5-245	95
K3-1200	110	K5-042	94	K5-118	97	K5-246	95
K3-1201	110	K5-043	94	K5-119	97	K5-247	95
K3-1202	110	K5-044	94	K5-120	97	K6-100	24
K3-1203	110	K5-045	94	K5-121	97	K6-100D	67
K3-1204	110	K5-048	94	K5-122	97	K6-100Z	75
K3-1205	110	K5-049	94	K5-123	97	K6-101	24
K3-1206	111	K5-050	94	K5-124	97	K6-101D	67
K3-1207	111	K5-051	94	K5-125	97	K6-101Z	75
K3-1208	111	K5-052	94	K5-126	97	K6-102	24
K3-1210	111	K5-053	94	K5-127	97	K6-102D	67
K3-1211	111	K5-054	94	K5-128	97	K6-102Z	75
K3-1230	111	K5-055	94	K5-129	97	K6-103	24
K3-1231	111	K5-056	94	K5-130	97	K6-103D	67
K3-1232	111	K5-057	94	K5-131	97	K6-104	24
K3-1233	111	K5-058	94	K5-132	97	K6-104D	67
K3-1234	111	K5-059	94	K5-133	97	K6-105	24, 38, 54
K3-1235	111	K5-060	96	K5-134	97	K6-106	24, 38, 54
K3-1236	111	K5-061	96	K5-200	95	K6-107	24, 38, 54
K3-1237	111	K5-062	96	K5-201	95	K6-108	24, 38, 54
K3-1238	111	K5-063	96	K5-202	95	K6-109	24, 38, 54
K3-1239	111	K5-064	96	K5-203	95	K6-120D	67
K3-1240	111	K5-065	96	K5-204	95	K6-120Z	75
K3-1241	111	K5-066	96	K5-205	95	K6-121D	67
K3-1707	107	K5-067	96	K5-206	95	K6-122D	67
K3-1807	107	K5-068	96	K5-207	95	K6-123D	67
K3-2000	107	K5-069	96	K5-208	95	K6-124D	67
K3-2001	107	K5-070	96	K5-209	95	K6-125D	67
K3-2002	107	K5-071	96	K5-210	95	K6-126D	67
K3-2013	107	K5-072	96	K5-211	95	K6-127D	67
K4-1051	114	K5-073	96	K5-212	95	K6-230	55
K4-1052	114	K5-074	96	K5-213	95	K6-231	55
K5-010	94	K5-075	96	K5-214	95	K6-232	55
K5-011	94	K5-076	96	K5-215	95	K6-233	55
K5-012	94	K5-077	96	K5-216	95	K6-234	55
K5-013	94	K5-078	96	K5-217	95	K6-235	55
K5-014	94	K5-079	96	K5-218	95	K6-236	55
K5-015	94	K5-080	96	K5-219	95	K6-237	55
K5-016	94	K5-081	96	K5-220	95	K6-300	26
K5-017	94	K5-082	96	K5-221	95	K6-300D	69
K5-018	94	K5-083	96	K5-222	95	K6-300Z	75
K5-019	94	K5-084	96	K5-223	95	K6-301	26
K5-020	94	K5-085	96	K5-224	95	K6-301D	69
K5-021	94	K5-086	96	K5-225	95	K6-301Z	75
K5-022	94	K5-087	96	K5-226	95	K6-302	26
K5-023	94	K5-088	96	K5-227	95	K6-302D	69
K5-024	94	K5-089	96	K5-228	95	K6-302Z	75
K5-025	94	K5-090	96	K5-229	95	K6-303	26
K5-026	94	K5-091	96	K5-230	95	K6-303D	69
K5-027	94	K5-100	97	K5-231	95	K6-303Z	75
K5-028	94	K5-101	97	K5-232	95	K6-305	26, 40, 56
K5-029	94	K5-102	97	K5-233	95	K6-306	26, 40, 56
K5-030	94	K5-103	97	K5-234	95	K6-307	26, 40, 56
K5-031	94	K5-104	97	K5-235	95	K6-308	26, 40, 56
K5-032	94	K5-105	97	K5-236	95	K6-340D	69
K5-033	94	K5-106	97	K5-237	95	K6-340Z	75
K5-034	94	K5-107	97	K5-238	95	K6-341D	69

Code	Page	Code	Page	Code	Page	Code	Page
K6-342D	69	K6-1100Z	79	K6-1781	93	K6-1982	91
K6-343D	69	K6-1101	88	K6-1782	93	K6-1983	91
K6-344D	69	K6-1101Z	79	K6-1783	93	K6-1984	91
K6-345D	69	K6-1105	88	K6-1784	93	K6-1985	91
K6-346D	69	K6-1106	88	K6-1785	93	K6-1986	91
K6-347D	69	K6-1418	93	K6-1786	93	K6-1987	91
K6-400	30	K6-1419	93	K6-1787	93	K6-2000	32
K6-401	30	K6-1420	93	K6-1790	93	K6-2001	32
K6-402	30, 44, 60	K6-1421	93	K6-1791	93	K6-2002	32
K6-403	30, 44, 60	K6-1422	93	K6-1792	93	K6-2005	32, 46, 62
K6-410	57	K6-1423	93	K6-1793	93	K6-2006	32, 46, 62
K6-411	57	K6-1424	93	K6-1794	93	K6-2007	32, 46, 62
K6-412	57	K6-1425	93	K6-1795	93	K6-3120	25
K6-413	57	K6-1560	86	K6-1796	93	K6-3121	25
K6-414	57	K6-1560Z	77	K6-1797	93	K6-3122	25
K6-415	57	K6-1561	86	K6-1860	84	K6-3123	25
K6-416	57	K6-1561Z	77	K6-1860Z	77	K6-3124	25
K6-417	57	K6-1562	86	K6-1861	84	K6-3125	25
K6-600	28	K6-1562Z	77	K6-1861Z	77	K6-3126	25
K6-600D	71	K6-1565	86	K6-1862	84	K6-3127	25
K6-600Z	75	K6-1566	86	K6-1862Z	77	K6-3128	25
K6-601	28	K6-1567	86	K6-1863	84	K6-3129	25
K6-601D	71	K6-1570	87	K6-1865	84	K6-3130	25
K6-601Z	75	K6-1570Z	77	K6-1866	84	K6-3131	25
K6-602	28	K6-1571	87	K6-1867	84	K6-3132	25
K6-602D	71	K6-1572	87	K6-1868	84	K6-3133	25
K6-602Z	75	K6-1573	87	K6-1870	85	K6-3134	25
K6-603	28	K6-1574	87	K6-1871	85	K6-3135	25
K6-603D	71	K6-1575	87	K6-1872	85	K6-3230	25
K6-604	28	K6-1576	87	K6-1873	85	K6-3231	25
K6-604D	71	K6-1577	87	K6-1874	85	K6-3232	25
K6-605	28, 42, 58	K6-1580	87	K6-1875	85	K6-3233	25
K6-606	28, 42, 58	K6-1581	87	K6-1876	85	K6-3234	25
K6-607	28, 42, 58	K6-1582	87	K6-1877	85	K6-3235	25
K6-608	28, 42, 58	K6-1583	87	K6-1880	85	K6-3236	25
K6-609	28, 42, 58	K6-1584	87	K6-1880Z	77	K6-3237	25
K6-630D	71	K6-1585	87	K6-1881	85	K6-3315	31
K6-630Z	75	K6-1586	87	K6-1882	85	K6-3316	31
K6-631D	71	K6-1587	87	K6-1883	85	K6-3320	27
K6-632D	71	K6-1665	82	K6-1884	85	K6-3321	27
K6-633D	71	K6-1666	82	K6-1885	85	K6-3322	27
K6-634D	71	K6-1667	82	K6-1886	85	K6-3323	27
K6-635D	71	K6-1680	83	K6-1887	85	K6-3324	27
K6-636D	71	K6-1681	83	K6-1960	90	K6-3325	27
K6-637D	71	K6-1682	83	K6-1960Z	77	K6-3326	31
K6-700	59	K6-1683	83	K6-1961	90	K6-3327	31
K6-701	59	K6-1684	83	K6-1961Z	77	K6-3328	31
K6-702	59	K6-1685	83	K6-1962	90	K6-3329	31
K6-703	59	K6-1686	83	K6-1962Z	77	K6-3330	31
K6-704	59	K6-1687	83	K6-1965	90	K6-3331	31
K6-705	59	K6-1690	83	K6-1966	90	K6-3332	31
K6-706	59	K6-1691	83	K6-1967	90	K6-3333	31
K6-707	59	K6-1692	83	K6-1970	91	K6-3334	31
K6-1000	89	K6-1693	83	K6-1970Z	77	K6-3335	31
K6-1000Z	79	K6-1694	83	K6-1971	91	K6-3336	31
K6-1001	89	K6-1695	83	K6-1972	91	K6-3337	31
K6-1002	89	K6-1696	83	K6-1973	91	K6-3338	31
K6-1003	89	K6-1697	83	K6-1974	91	K6-3339	31
K6-1004	89	K6-1770	92	K6-1975	91	K6-3340	27
K6-1005	89	K6-1771	92	K6-1976	91	K6-3341	27
K6-1006	89	K6-1775	92	K6-1977	91	K6-3342	27
K6-1007	89	K6-1776	92	K6-1980	91	K6-3343	27
K6-1100	88	K6-1780	93	K6-1981	91	K6-3344	27

Code	Page	Code	Page	Code	Page	Code	Page
K6-3345	27	K7-125	39	K7-1419	93	K8-101P	54
K6-3346	27	K7-126	39	K7-1420	93	K8-101V	54
K6-3347	27	K7-127	39	K7-1421	93	K8-102B	54
K6-3348	27	K7-300	40	K7-1422	93	K8-102BA	54
K6-3349	27	K7-301	40	K7-1423	93	K8-102P	54
K6-3370	33	K7-302	40	K7-1424	93	K8-102V	54
K6-3371	33	K7-303	40	K7-1425	93	K8-103B	54
K6-3372	33	K7-315	45	K7-1680	83	K8-103BA	54
K6-3373	33	K7-316	45	K7-1681	83	K8-103P	54
K6-3374	33	K7-326	45	K7-1682	83	K8-103V	54
K6-3375	33	K7-327	45	K7-1683	83	K8-104B	54
K6-3376	33	K7-328	45	K7-1684	83	K8-104BA	54
K6-3377	33	K7-329	45	K7-1685	83	K8-104P	54
K6-3380	33	K7-330	45	K7-1686	83	K8-104V	54
K6-3381	33	K7-331	45	K7-1687	83	K8-120B	55
K6-3382	33	K7-340	41	K7-1770	92	K8-120BA	55
K6-3383	33	K7-341	41	K7-1771	92	K8-120P	55
K6-3384	33	K7-342	41	K7-1780	93	K8-120V	55
K6-3385	33	K7-343	41	K7-1781	93	K8-121B	55
K6-3386	33	K7-344	41	K7-1782	93	K8-121BA	55
K6-3387	33	K7-345	41	K7-1783	93	K8-121P	55
K6-3410	27	K7-346	41	K7-1784	93	K8-121V	55
K6-3411	27	K7-347	41	K7-1785	93	K8-122B	55
K6-3412	27	K7-400	39	K7-1786	93	K8-122BA	55
K6-3413	27	K7-401	39	K7-1787	93	K8-122P	55
K6-3414	27	K7-402	39	K7-1861	84	K8-122V	55
K6-3415	27	K7-403	39	K7-1862	84	K8-123B	55
K6-3416	27	K7-404	39	K7-1863	84	K8-123BA	55
K6-3417	27	K7-405	39	K7-1880	85	K8-123P	55
K6-3620	29	K7-406	41	K7-1881	85	K8-123V	55
K6-3621	29	K7-407	41	K7-1882	85	K8-124B	55
K6-3622	29	K7-408	41	K7-1883	85	K8-124BA	55
K6-3623	29	K7-409	41	K7-1884	85	K8-124P	55
K6-3624	29	K7-410	41	K7-1885	85	K8-124V	55
K6-3625	29	K7-411	41	K7-1886	85	K8-125B	55
K6-3630	29	K7-412	43	K7-1887	85	K8-125BA	55
K6-3631	29	K7-413	43	K7-1961	90	K8-125P	55
K6-3632	29	K7-414	43	K7-1962	90	K8-125V	55
K6-3633	29	K7-415	43	K7-1970	91	K8-126B	55
K6-3634	29	K7-416	43	K7-1971	91	K8-126BA	55
K6-3635	29	K7-417	43	K7-1972	91	K8-126P	55
K6-3636	29	K7-418	39	K7-1973	91	K8-126V	55
K6-3637	29	K7-419	39	K7-1974	91	K8-127B	55
K6-3638	29	K7-420	41	K7-1975	91	K8-127BA	55
K6-3639	29	K7-421	41	K7-1976	91	K8-127P	55
K6-3700	29	K7-422	43	K7-1977	91	K8-127V	55
K6-3701	29	K7-423	43	K7-2000	46	K8-300B	56
K6-3702	29	K7-600	42	K7-2001	46	K8-300BA	56
K6-3703	29	K7-601	42	K7-2002	46	K8-300P	56
K6-3704	29	K7-602	42	K7-2120	47	K8-300V	56
K6-3705	29	K7-603	42	K7-2121	47	K8-301B	56
K6-3706	29	K7-604	42	K7-2122	47	K8-301BA	56
K6-3707	29	K7-630	43	K7-2123	47	K8-301P	56
K7-100	38	K7-631	43	K7-2124	47	K8-301V	56
K7-101	38	K7-632	43	K7-2125	47	K8-302B	56
K7-102	38	K7-633	43	K7-2126	47	K8-302BA	56
K7-103	38	K7-634	43	K7-2127	47	K8-302P	56
K7-104	38	K7-635	43	K8-100B	54	K8-302V	56
K7-120	39	K7-636	43	K8-100BA	54	K8-303B	56
K7-121	39	K7-637	43	K8-100P	54	K8-303BA	56
K7-122	39	K7-700	44	K8-100V	54	K8-303P	56
K7-123	39	K7-701	44	K8-101B	54	K8-303V	56
K7-124	39	K7-1418	93	K8-101BA	54	K8-315B	61

INDEX

Code	Page	Code	Page	Code	Page	Code	Page
K8-315BA	61	K8-490	138	K8-2000P	62	K12-127	135
K8-315P	61	K8-600B	58	K8-2000V	62	K12-128	135
K8-315V	61	K8-600BA	58	K8-2001B	62	K12-129	135
K8-316B	61	K8-600P	58	K8-2001BA	62	K12-130	136
K8-316BA	61	K8-600V	58	K8-2001P	62	K12-131	136
K8-316P	61	K8-601B	58	K8-2001V	62	K12-132	136
K8-316V	61	K8-601BA	58	K8-2002B	62	K12-133	136
K8-326B	61	K8-601P	58	K8-2002BA	62	K12-134	136
K8-326BA	61	K8-601V	58	K8-2002P	62	K12-135	137
K8-326P	61	K8-602B	58	K8-2002V	62	K12-136	137
K8-326V	61	K8-602BA	58	K8-2120B	63	K12-137	137
K8-327B	61	K8-602P	58	K8-2120BA	63	K12-138	137
K8-327BA	61	K8-602V	58	K8-2120P	63	K12-139	137
K8-327P	61	K8-603B	58	K8-2120V	63	K12-140	137
K8-327V	61	K8-603BA	58	K8-2121B	63	K12-141	136
K8-328B	61	K8-603P	58	K8-2121BA	63	K12-142	135
K8-328BA	61	K8-603V	58	K8-2121P	63	K12-145	132
K8-328P	61	K8-604B	58	K8-2121V	63	K12-146	133
K8-328V	61	K8-604BA	58	K8-2122B	63	K12-147	133
K8-329B	61	K8-604P	58	K8-2122BA	63	K12-148	132
K8-329BA	61	K8-604V	58	K8-2122P	63	KA-100	115
K8-329P	61	K8-630B	59	K8-2122V	63	KB-100	115
K8-329V	61	K8-630BA	59	K8-2123B	63	KC-100	115
K8-330B	61	K8-630P	59	K8-2123BA	63	KLA-100	115
K8-330BA	61	K8-630V	59	K8-2123P	63	KLB-100	115
K8-330P	61	K8-631B	59	K8-2123V	63	KLC-100	115
K8-330V	61	K8-631BA	59	K8-2124B	63		
K8-331B	61	K8-631P	59	K8-2124BA	63		
K8-331BA	61	K8-631V	59	K8-2124P	63		
K8-331P	61	K8-632B	59	K8-2124V	63		
K8-331V	61	K8-632BA	59	K8-2125B	63		
K8-340B	57	K8-632P	59	K8-2125BA	63		
K8-340BA	57	K8-632V	59	K8-2125P	63		
K8-340P	57	K8-633B	59	K8-2125V	63		
K8-340V	57	K8-633BA	59	K8-2126B	63		
K8-341B	57	K8-633P	59	K8-2126BA	63		
K8-341BA	57	K8-633V	59	K8-2126P	63		
K8-341P	57	K8-634B	59	K8-2126V	63		
K8-341V	57	K8-634BA	59	K8-2127B	63		
K8-342B	57	K8-634P	59	K8-2127BA	63		
K8-342BA	57	K8-634V	59	K8-2127P	63		
K8-342P	57	K8-635B	59	K8-2127V	63		
K8-342V	57	K8-635BA	59	K12-100	132		
K8-343B	57	K8-635P	59	K12-101	132		
K8-343BA	57	K8-635V	59	K12-102	132		
K8-343P	57	K8-636B	59	K12-103	133		
K8-343V	57	K8-636BA	59	K12-104	133		
K8-344B	57	K8-636P	59	K12-105	133		
K8-344BA	57	K8-636V	59	K12-106	133		
K8-344P	57	K8-637B	59	K12-107	133		
K8-344V	57	K8-637BA	59	K12-108	133		
K8-345B	57	K8-637P	59	K12-109	132		
K8-345BA	57	K8-637V	59	K12-110	132		
K8-345P	57	K8-700B	60	K12-111	132		
K8-345V	57	K8-700BA	60	K12-112	133		
K8-346B	57	K8-700P	60	K12-113	133		
K8-346BA	57	K8-700V	60	K12-114	134		
K8-346P	57	K8-701B	60	K12-115	134		
K8-346V	57	K8-701BA	60	K12-116	134		
K8-347B	57	K8-701P	60	K12-117	134		
K8-347BA	57	K8-701V	60	K12-124	134		
K8-347P	57	K8-2000B	62	K12-125	135		
K8-347V	57	K8-2000BA	62	K12-126	135		

AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.

FACTORY

Organize Sanayi Bölgesi
Yaşar Doğu Caddesi, No: 76
Kerimbey OSB, 55330, Tekkeköy
SAMSUN, TÜRKİYE

T : +90 (362) 266 66 80

F : +90 (362) 266 93 30

www.aygun.com

aygun@aygun.com

All rights reserved.No part of this catalog may
be reproduced in any form without the written
permission from AYGUN